ISSN: 2582-4686 SJIF 2021-3.261, 2022-2.889, 2023-5.384, 2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-5

ANALYSIS OF CONDUCTIVE YARNS FOR SMART KNITTED FABRICS

D.O‘. Tojaliyev[1] G.N.Valiyev[2]

[1]Fergana state technical university, davronbektojaliyev9@gmail.com

[1]ORCID: https://orcid.org/0009-0009-7611-9845

[2]Fergana state technical university, valiyevg79@gmail.com

Abstract: In this paper I address one of the novel areas in textile industry – smart knitted fabrics consisting of conductive yarns. Conductive yarns make it possible for fabrics to conduct electric current which allows the integration of sensors, data transmission systems, and other responsive elements into the internal structure of the fabric. This article focuses on types, structures, properties, and fields of application of conductive yarns based on the technological analysis of some products and processes of modern manufacturing.

Keywords: smart textiles, conductive yarn, electrical conductivity, knitted fabric, innovation in textiles

Introduction

Electronic integration into apparel has brought with it a totally new era of textile production, introducing us to what we today understand as smart textiles. Smart textiles are those that can sense and respond to surrounding conditions such as temperature, movement, humidity, and even biometric signals such as heart rate and respiration. Conductive yarn is the foundation of the majority of smart textiles, particularly smart knitted textiles. It allows the flow of electrical signals in the fabric so that it can "sense" and "respond" to what's around it in new ways.

Conductive yarns are specially designed fibers that can conduct electrical current, thus the most important components of wearable electronic systems. Conductive yarns take prominent roles in health monitoring apparel, interactive sportswear, and military uniforms. The aim of this research is to find out the types, properties, and daily applications of conductive yarns utilized in intelligent knitted textiles.

Methods

This research was conducted through a technical literature review and analysis of existing product catalogues and data sheets from leading conductive yarn manufacturers, including the **Swicofil Ag 2020 Product Introduction Program**. Additionally, an inquiry checklist provided insights into technical specifications, structural formats, and potential textile applications.

The study followed a systematic approach:

- Conductive yarns classification based on their composition
- Comparative study of manufacturing technologies
- Physical and electrical property analysis of selected yarns
- Evaluation of application areas, particularly in knitting technologies

Results

Through the analysis, the following findings emerged regarding conductive yarns used in smart knitted fabrics:

1. Types of conductive yarns

Conductive yarns can be categorized into four major types:

- Metal yarns: These are silver, copper, or nickel-filled or plated yarns. They conduct electricity well and are utilized in sensor networks or EMI shielding fabrics.

ISSN: 2582-4686 SJIF 2021-3.261, 2022-2.889, 2023-5.384, 2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-5

- Carbon yarns: Made up of materials like graphene or carbon nanotubes. They are flexible, are light in weight, and are good conductors.
- Conductive polymer yarns: Intrinsic conductivity is offered with biocompatibility and stretching by conductive polymers such as PEDOT:PSS, polypyrrole, or polyaniline.
- Composite yarns: Blending of metal and polymer materials to stabilize
- Strength, flexibility, and conductivity.



Figure 1.Plasma silver coated polyester DTY yarn



Figure 2.Plasma silver coated polyester embroidery yarn

2. Manufacturing techniques

Conductive yarns are produced using various methods:

- Coating: Application of conductive layers over ordinary yarns.
- Core-spun spinning: A conductive core is wrapped with another fiber for flexibility.
- Blending: Merging conductive and non-conductive fibers.
- Electospining: Used in fine, high-precision conductive nanofibers.

3. Technical characteristics (Swicofil AG products).

To provide a clearer view of the physical and electrical properties of conductive yarns, the following table summarizes key specifications from typical commercial yarns suitable for smart textile applications:

ISSN: 2582-4686 SJIF 2021-3.261, 2022-2.889, 2023-5.384, 2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-5

Table 1: Technical specifications of selected conductive yarns

Property	(Silver coated nylon)	(Carbon-infused polyester)	(Stainless steel blend)	(Copper core yarn)
Base material	PA 6.6 (Nylon)	PET (Polyester)	PA + Stainless Steel	Copper + Nylon
Conductive material	Silver (Ag)	Carbon black	Stainless Steel	Copper
Linear Density (dtex)	78	330	200	117
Electrical Resistance (Ω/m)	< 100	~800	~300	< 10
Filament type	Multifilament	Monofilament	Core-spun	Coated Core
Tensile strength	High	Medium	Very High	High
Elongation at Break (%)	~35%	~15%	~20%	~25%
Thermal stability	Up to 90°C	Up to 70°C	Up to 150°C	Up to 105°C
Washing durability	Medium (15–20 cycles)	Low (5–10 cycles)	High (50+ cycles)	Medium
Applications	ECG T-shirts, Smart Bands	Motion Sensors, Low-Cost Wearables	E-textiles, EMI shielding fabrics	Smart Gloves, Heating Gear

4. Advantages

- Enable real-time biofeedback (heart rate, motion)
- Provide lightweight and seamless integration with garments
- Can serve as antennas or data lines within fabric
- Some types offer electromagnetic shielding

5. Limitations

- Metal-based yarns can reduce fabric elasticity
- Conductivity may degrade after repeated washing
- High cost of production
- Limited compatibility with traditional textile processes

Discussion

Conductive yarns are the basis of the development of wearable electronics and intelligent knitted systems. Although metal-based yarns offer the highest conductivity, they are not as flexible and are also prone to oxidation in the long term. Therefore, the current research is focusing more on polymer-based and composite conductive yarns, which also balance well in terms of durability, washability, and performance.

In circular knitting and warp knitting of knitted fabrics, selection of yarn becomes critical. Twist, denier, surface smoothness, and elasticity of the yarn need to be taken into consideration to allow them to be integrated successfully into the fabric structure.

ISSN: 2582-4686 SJIF 2021-3.261, 2022-2.889, 2023-5.384, 2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-5

From the application point of view, conductive yarns have already found success in applications such as:

- Heart-rate monitoring shirts
- Smart socks for athletes
- Heating fabrics for cold environments
- Signal-transmitting military gear

However, further innovations are needed in the areas of durability, standardization, and cost reduction for mass-market adoption.

Conclusion

Conductive yarns represent a fundamental development in the history of smart textiles. As they can conduct electricity while still maintaining textile properties such as flexibility and comfort, they are ideal for wearable technology. The conclusions from this analysis are as follows:

- Polymer-based conductive yarns have excellent prospects for wearable and flexible applications.
- Composite yarns present a hopeful resolution for optimizing conductivity and mechanical properties.
- To develop intelligent knitted fabric, yarn construction, knitting compatibility, and end-use environment need to be considered.

Recommendations

- Future designs need to center on eco-friendly and washable conductive polymers such as PEDOT:PSS and graphene yarns.
- Should perform extensive physical and electrical testing under real use wear conditions.
- There is a need for cross-sector interaction between textile engineers, material scientists, and electronics developers to fulfill the full potential of conductive yarns.

References

1. Swicofil AG. (2020). *Introductory product programme* – a catalog of yarn and fiber specialties for technical textiles. Emmenbrücke: Swicofil AG.
2. Zhao, X., Liu, Y., & Zhang, M. (2020). A comprehensive review on conductive yarns used in textile electronics. *Advanced Materials Interfaces*, 7(12), 2000174.
3. Lin, Z., Wang, Y., Xu, J., & Yang, Z. (2021). Recent developments in smart textiles based on conductive fibers and yarns. *Materials & Design*, 202, 109518.
4. Tadesse, M. G., & Cho, Y. (2021). Innovations in conductive fibers for smart wearable applications. *Fibers*, 9(1), 5.
5. Zeng, W., Shu, L., Li, Q., & Chen, S. (2022). Triboelectric nanogenerators integrated into textiles for energy harvesting and motion sensing. *Nano Energy*, 92, 106701.
6. Huang, Y., Zhu, M., Hou, L., & Zhang, Q. (2020). Fabrication of stretchable, washable, and highly conductive textile-based electronics. *Nano Research*, 13(6), 1555–1563.
7. Kumar, A., & Kim, H. (2023). Textile-based biosensors: New materials and applications in healthcare monitoring. *Sensors and Actuators Reports*, 5, 100111.
8. Song, Y., You, Z., & Wang, D. (2021). Conductive textiles using carbon-based materials for smart clothing. *Chemical Engineering Journal*, 420, 130434.
9. Luo, Y., Zhang, L., & Li, Z. (2022). Methods for large-scale production of conductive polymer yarns for wearables. *Journal of Materials Chemistry C*, 10(3), 712–722.
10. Zhao, W., & Zhou, B. (2024). Next-generation fiber electronics for integration into flexible smart textiles. *ACS Nano*, 18(1), 311–327.
11. Swicofil AG. (2023). *Inquiry checklist form* – internal documentation for yarn specification and sourcing.