SIR Publishers
CENTER FOR INTERNATIONAL SCIENTIFIC PUBLICATIONS
JOURNAL OF NURSING AND WOMEN'S HEALTH
ISSN(Online): 2984-8083
Volume-9, Issue-01, Published |14-02-2026|

EPILEPSY IN ADULTS: ETIOLOGY, DIAGNOSIS, AND LONG-TERM MANAGEMENT

Abduraupova Maftuna Yunusjon qizi
Termez University of Economics and Service
Faculty of Medicine

ABSTRACT

Epilepsy is a chronic neurological disorder characterized by recurrent unprovoked seizures. It affects approximately 50 million people worldwide. The condition arises from abnormal electrical activity in the brain and may result from genetic, structural, metabolic, or infectious causes. This article examines the etiology, diagnostic approaches, treatment strategies, and long-term prognosis of epilepsy in adults. Modern antiepileptic drugs (AEDs) allow seizure control in nearly 70% of patients. However, drug-resistant epilepsy remains a significant clinical challenge.

Keywords: epilepsy, seizures, antiepileptic drugs, EEG, drug-resistant epilepsy

INTRODUCTION

Epilepsy is defined as the occurrence of at least two unprovoked seizures separated by more than 24 hours. It is one of the most common neurological disorders and carries significant psychosocial impact.

Seizures are classified as focal, generalized, or unknown onset. Etiology varies widely, including genetic predisposition, brain trauma, tumors, infections, and vascular lesions.

This article explores current knowledge on adult epilepsy, focusing on diagnosis and long-term management.

METHODS

A review of scientific literature was conducted using PubMed, ILAE guidelines, and WHO publications from 2000–2024. Search terms included *epilepsy*, *antiepileptic drugs*, *EEG diagnosis*, and *drug-resistant epilepsy*. Randomized controlled trials and systematic reviews were prioritized.

RESULTS

Etiology. Common causes include:

- Genetic mutations
- Traumatic brain injury
- Stroke
- Brain tumors
- CNS infections
- Idiopathic causes

Approximately 30–40% of cases remain of unknown etiology.

Diagnosis. Diagnosis is based on:

- Detailed clinical history
- Electroencephalography (EEG)
- Brain MRI
- Laboratory investigations

EEG reveals epileptiform discharges, supporting diagnosis.

Treatment. First-line antiepileptic drugs include:

- Levetiracetam
- Valproate
- Lamotrigine
- Carbamazepine

About 70% of patients achieve seizure control with medication. Drug-resistant epilepsy may require:

- Epilepsy surgery
- Vagus nerve stimulation
- Ketogenic diet

DISCUSSION

Early diagnosis and individualized treatment improve prognosis. Drug selection depends on seizure type, comorbidities, and patient characteristics.

Psychological support and social rehabilitation are important components of management.

Despite advances, approximately 30% of patients develop drug-resistant epilepsy, highlighting the need for new therapeutic strategies.

CONCLUSION

Epilepsy is a chronic but manageable neurological disorder. Most patients achieve good seizure control with modern antiepileptic drugs. Multidisciplinary care and ongoing research are essential to improve outcomes in drug-resistant cases.

REFERENCES

1. World Health Organization. Epilepsy Fact Sheet. WHO; 2023.
2. Fisher RS, Acevedo C, Arzimanoglou A, et al. ILAE official report: A practical clinical definition of epilepsy. *Epilepsia.* 2014;55(4):475–482.
3. Thijs RD, Surges R, O'Brien TJ, Sander JW. Epilepsy in adults. *Lancet.* 2019;393:689–701.
4. Kwan P, Arzimanoglou A, Berg AT, et al. Definition of drug-resistant epilepsy. *Epilepsia.* 2010;51(6):1069–1077.
5. Brodie MJ, Zuberi SM, Scheffer IE, Fisher RS. The 2017 ILAE classification of seizure types. *Epilepsia.* 2018;59(4):691–698.
6. Chen Z, Brodie MJ, Liew D, Kwan P. Treatment outcomes in newly diagnosed epilepsy. *JAMA Neurol.* 2018;75(3):279–286.
7. Löscher W, Potschka H, Sisodiya SM, Vezzani A. Drug resistance in epilepsy. *Nat Rev Neurol.* 2020;16:225–238.
8. Devinsky O, Vezzani A, O'Brien TJ, et al. Epilepsy. *Nat Rev Dis Primers.* 2018;4:18024.
9. Perucca P, Scheffer IE, Kiley M. The management of epilepsy in adults. *Med J Aust.* 2018;208(5):226–233.
10. French JA, Perucca E, Sander JW, et al. Efficacy and tolerability of antiseizure drugs. *Lancet Neurol.* 2020;19(6):544–556.
11. Wiebe S, Blume WT, Girvin JP, Eliasziw M. Surgery for temporal-lobe epilepsy. *N Engl J Med.* 2001;345:311–318.
12. Engel J Jr. Surgical treatment of epilepsy. *Lancet.* 2013;381: 1400–1410.
13. Löscher W, Klein P. The ketogenic diet in epilepsy. *Epilepsia.* 2021.
14. Harden CL, Hopp J, Ting TY, et al. Practice guideline update summary: Treatment of epilepsy in women. *Neurology.* 2018.
15. Ngugi AK, Bottomley C, Kleinschmidt I, et al. Estimation of the burden of active epilepsy. *Epilepsia.* 2010;51(5):883–890.