SIR Publishers
CENTER FOR INTERNATIONAL SCIENTIFIC PUBLICATIONS
JOURNAL OF MEDICINE AND PHARMACY
ISSN(Online): 2984-7117
SJIF Impact Factor |(2023): 5.724|
Volume-9, Issue-01, Published |16-01-2026|

DENTAL HEALTH AND SOCIAL STATUS IN HISTORICAL SOCIETIES

Pardayev Otabek Anvarovich
https://orcid.org/0009-0007-1381-5371
otash6065@mail.ru
Jurayev Sanjar Ramazanovich
https://orcid.org/0009-0002-4306-8796
jurayevsanjar1983j@gmail.com
Sayfulloyev Nodirbek Jumazoda

ABSTRACT

Dental health has long been influenced not only by biological and environmental factors but also by social and economic conditions. Throughout history, social status has played a decisive role in shaping access to nutrition, healthcare, and hygienic practices, all of which directly affect oral health. This article examines the relationship between dental health and social status in historical societies using archaeological, bioarchaeological, and historical evidence. By analyzing dental pathologies such as caries, periodontal disease, tooth wear, and antemortem tooth loss across different social strata, this study reveals clear patterns of inequality in oral health outcomes. The findings demonstrate that dental health functioned as both a biological indicator and a social marker, reflecting broader disparities in living conditions, labor demands, and cultural practices. Understanding these historical patterns provides valuable context for modern discussions of health inequality and social determinants of oral health.

Keywords: Dental Health, Social Status, Health Inequality, Bioarchaeology, History of Dentistry

INTRODUCTION

Health inequality is often regarded as a modern problem associated with industrialization and contemporary socioeconomic systems. However, archaeological and historical evidence clearly demonstrates that disparities in health, including oral health, have existed throughout human history. Dental health, in particular, offers a unique lens through which social inequality can be examined, as teeth preserve long-term evidence of diet, disease, and lived experience.

In historical societies, social status strongly influenced access to resources such as high-quality food, medical care, and hygienic knowledge. These differences are frequently reflected in dental remains, which show varying patterns of caries, tooth wear, periodontal disease, and tooth loss among elites and commoners. Consequently, dental health serves not only as a measure of biological well-being but also as a marker of social identity and inequality.

The purpose of this article is to explore the relationship between dental health and social status in historical societies. By synthesizing evidence from different regions and time periods, this study aims to demonstrate how social stratification shaped oral health outcomes and how dental evidence can be used to reconstruct patterns of inequality in the past.

LITERATURE REVIEW

The relationship between social status and health has been widely discussed in historical and anthropological scholarship. Early bioarchaeological studies focused primarily on identifying disease prevalence, but later research increasingly emphasized social interpretation and inequality.

Researchers such as Larsen and Roberts have shown that skeletal and dental evidence often reflects differential exposure to stressors based on class, occupation, and access to resources. Dental

JOURNAL OF MEDICINE AND PHARMACY
ISSN(Online): 2984-7117
SJIF Impact Factor | (2023): 5.724 |
Volume-9, Issue-01, Published |16-01-2026|

remains, due to their durability and sensitivity to dietary change, have become central to such analyses.

Studies of ancient Egyptian and Roman populations suggest that elite individuals generally exhibited better dental health than lower-status groups, although exceptions exist. Elites often consumed softer, more refined foods, which reduced tooth wear but sometimes increased caries rates due to higher sugar intake.

In medieval Europe, archaeological evidence from cemeteries associated with monasteries, urban centers, and rural communities reveals stark contrasts in dental health. Urban poor populations frequently show high rates of caries and periodontal disease, while nobility and clergy often exhibit better-preserved dentitions.

Recent scholarship also highlights gender and age as intersecting factors with social status. Women and children in lower-status groups often experienced higher levels of nutritional stress, reflected in enamel hypoplasia and early tooth loss.

Overall, the literature supports the conclusion that dental health is a powerful indicator of social inequality, providing insight into both material conditions and cultural practices.

METHODOLOGY

This study employs a qualitative and comparative bioarchaeological methodology based on secondary source analysis. Data were drawn from peer-reviewed journal articles, excavation reports, and historical records examining dental remains from socially stratified populations.

The methodological framework includes:

Comparative analysis of dental pathologies across social classes

Contextual interpretation of burial practices and associated artifacts as indicators of status

Interdisciplinary synthesis integrating archaeology, dental anthropology, and social history

Dental indicators analyzed include caries prevalence, tooth wear patterns, periodontal disease, antemortem tooth loss, and developmental defects such as enamel hypoplasia. Social status was inferred from burial location, grave goods, historical documentation, and settlement context.

This approach allows for the identification of consistent patterns linking oral health to social hierarchy while acknowledging regional and temporal variation.

RESULTS

Diet, Social Status, and Dental Health. Diet represents one of the strongest links between social status and dental health. In many historical societies, elites had access to a wider variety of foods, including meat, dairy, and refined grains. These diets often resulted in reduced tooth wear but increased susceptibility to dental caries.

Lower-status populations, by contrast, relied heavily on coarse, unprocessed foods that caused extreme dental wear. While caries rates were sometimes lower, severe attrition often led to pulp exposure, infection, and tooth loss.

Dental Caries and Social Inequality. Archaeological studies consistently demonstrate higher caries prevalence among socially privileged groups in certain periods, particularly in societies with access to sugar and refined carbohydrates. Conversely, in periods where sugar consumption was limited to elites, caries became a marker of high status.

In medieval and early modern Europe, the gradual spread of sugar consumption led to increasing caries rates among all classes, though the poorest populations continued to experience more severe untreated disease.

Periodontal Disease and Labor Demands. Periodontal disease appears to be more prevalent among lower-status individuals engaged in physically demanding labor. Chronic stress, malnutrition, and poor oral hygiene contributed to inflammation and bone loss around teeth.

Elites, who often experienced lower physical stress and better nutrition, generally exhibited less severe periodontal disease, although age-related changes were common.

Enamel Hypoplasia as a Marker of Childhood Stress. Enamel hypoplasia is frequently used as an indicator of childhood stress and deprivation. Studies show higher frequencies of enamel defects among individuals buried in low-status contexts, suggesting repeated episodes of malnutrition or illness during development.

These findings highlight how social inequality affected individuals from early life stages, with long-term consequences for oral and systemic health.

Tooth Loss and Quality of Life. Antemortem tooth loss was significantly more common among lower-status populations. The loss of teeth would have impaired chewing efficiency and nutritional intake, potentially reinforcing cycles of poor health and poverty.

In contrast, elite individuals sometimes benefited from early forms of dental intervention, such as extractions performed by skilled practitioners or the use of prosthetic devices.

DISCUSSION

The results clearly demonstrate that dental health in historical societies was deeply intertwined with social status. Differences in diet, workload, living conditions, and access to care produced distinct oral health patterns across social classes.

Importantly, dental evidence reveals both advantages and disadvantages associated with privilege. While elites often avoided extreme tooth wear, their diets sometimes predisposed them to caries. Conversely, lower-status groups experienced severe wear and tooth loss but occasionally lower caries rates.

These findings challenge simplistic assumptions about “better” or “worse” dental health and emphasize the need for contextual interpretation. Dental health should be understood as a reflection of lived experience rather than a single measure of well-being.

The parallels between historical and modern oral health inequalities underscore the persistent influence of social determinants on health outcomes.

CONCLUSION

Dental health provides compelling evidence of social inequality in historical societies. Archaeological and bioarchaeological data reveal that oral health outcomes were shaped by access to resources, labor demands, and cultural practices associated with social status.

This study highlights the value of dental evidence as a tool for reconstructing social structure and inequality in the past. By examining these historical patterns, modern dentistry and public health can gain deeper insight into the long-standing roots of oral health disparities.

Understanding the past is essential for addressing present and future challenges in achieving equitable oral healthcare.

REFERENCES

1. Larsen, C. S. (2015). *Bioarchaeology: Interpreting Behavior from the Human Skeleton*. Cambridge: Cambridge University Press.
2. Hillson, S. (2005). *Teeth*. Cambridge: Cambridge University Press.
3. Roberts, C., & Manchester, K. (2007). *The Archaeology of Disease*. Ithaca: Cornell University Press.

JOURNAL OF MEDICINE AND PHARMACY
ISSN(Online): 2984-7117
SJIF Impact Factor |(2023): 5.724|
Volume-9, Issue-01, Published |16-01-2026|

4. Lukacs, J. R. (2017). Sex differences in dental health and diet. *American Journal of Physical Anthropology*, 164(3), 505–517.
5. Waldron, T. (2009). *Palaeopathology*. Cambridge: Cambridge University Press.
6. Mays, S. (2010). Social status and health in medieval populations. *International Journal of Osteoarchaeology*, 20(1), 56–73.
7. Goodman, A. H., & Armelagos, G. J. (1989). Infant and childhood stress and adult health. *American Journal of Physical Anthropology*, 79(1), 51–63.