SIR Publishers
CENTER FOR INTERNATIONAL SCIENTIFIC PUBLICATIONS
JOURNAL OF VETERINARY SCIENCE
ISSN(Online): 2984-7966
Volume-9, Issue-01, Published |05-03-2026|

FEEDING BREEDING BULLS WITH PELLETED FEED PRODUCTS UNDER INTENSIVE LIVESTOCK CONDITIONS

UDC 636.2.084:636.082.12

Karimov Sherali Allaberdiyevich
Termez State University of Engineering and Agrotechnologies q.x.f.n.dotseht
Teacher of the department of zooengineering, veterinary medicine and sericulture
sheralikarimov7171@gmail.com
https://orcid.org/0009-0000-7788-8608
Rajabov Baxtiyor Musulmonovich
Termiz State University of Engineering and Agrotechnology
Teacher of the department of zooengineering, veterinary medicine and sericulture
baxtiyorrajabov7079@gmail.com
https://orcid.org/0009-0000-1417-3875

ABSTRACT

This article presents scientifically substantiated feeding standards for breeding bulls depending on their live weight, age, body condition score, and intensity of use during the breeding period. The inclusion of pelleted feed products in the ration is analyzed as a modern technological solution aimed at improving nutrient balance, increasing feed utilization efficiency, and enhancing reproductive performance. Requirements for metabolizable energy, digestible protein, calcium, phosphorus, and microelements are described. Ration structures for winter and summer seasons are systematized, and recommendations are given for optimizing the sugar–protein ratio and crude fiber content. The research results demonstrate that the use of balanced pelleted concentrate feeds ensures stable physiological status in breeding bulls, increases sexual activity, and improves semen quality.

Keywords: Breeding bull, Live weight, Metabolizable energy, Digestible protein, Pelleted feed, Concentrate feeds, Calcium, Phosphorus, Ration structure, Feed unit.

INTRODUCTION

Modernization of livestock production and enhancement of the genetic potential of cattle are priority areas of agrarian policy. In Uzbekistan, large-scale reforms aimed at strengthening the feed base and improving breeding efficiency are being implemented under the leadership of President Shavkat Mirziyoyev. Current development strategies pay special attention to the intensive development of cattle breeding, introduction of innovative feeding technologies, and increase in the number of high-quality breeding cattle.

Effective feeding of breeding bulls directly affects semen quality, reproductive longevity, and overall herd productivity. In modern feeding practices, uniform, highly digestible pelleted compound feeds with minimal losses are increasingly replacing traditional concentrate mixtures.

The objective of this study is to meet the nutritional requirements of breeding bulls under intensive management conditions by incorporating protein-rich pelleted feed products prepared from plant raw materials grown in the climatic conditions of the Surkhandarya region.

Nutrient Requirements of Breeding Bulls

Nutrient requirements vary depending on breeding intensity:

Non-use period – no semen collection or mating;

Moderate use – used 1–2 times per week;

High use – used 2–3 times per week.

If bulls have a body condition score below average, for each additional 0.2 kg of weight gain, 1 feed unit or 11.5 MJ of metabolizable energy and 120 g of digestible protein should be added to the basic ration.

SIR Publishers
CENTER FOR INTERNATIONAL SCIENTIFIC PUBLICATIONS
JOURNAL OF VETERINARY SCIENCE
ISSN(Online): 2984-7966
Volume-9, Issue-01, Published |05-03-2026|

For growing young bulls, per 1 kg of weight gain, an additional 4 feed units or 45.6 MJ of metabolizable energy, 600 g of digestible protein, 50 g of calcium, and 25 g of phosphorus should be included in the ration.

1-table:

Per 100 kg of live weight, the following feed amounts are recommended.

№	Type of feed	Unit of measurement (kg)	Amount of feed
Winter season			
1	Hay	*kg*	0,8-1,2
2	Silage	*kg*	0,8-1,0 kg
3	Haylage	*kg*	0,8-1,0 kg
4	Root crops	*kg*	1,0-1,5
5	Concentrates	*kg*	0,3-0,5 kg

№	Type of feed	Unit of measurement (kg)	Amount of feed
In summer			
1	Hay	*kg*	0,8-1,2
2	Silage	*kg*	0,8-1,0 kg
3	Haylage	*kg*	0,8-1,0 kg

2-table

Mineral Requirements (per 100 kg Live Weight)

№	Type of feed	Unit of measurement (kg)	Amount of feed
1	Salt – 6.3–6.5	g	6,3-6,5
2	Calcium	g	7,1-7,3
3	Phosphorus	g	4,2-4,4
4	Iron	g	2,7-2,8
5	Copper	g	71-73,2
6	Zinc	g	13,3
7	Cobalt	g	53
8	Manganese	g	1,05

3-table

Energy Supply According to Breeding Intensity

№	**Level of Use**	**Feed Units**	**Metabolizable Energy (MJ)**
1	Non-use	0.8–1.1	8.3–12.6
2	Moderate	0.9–1.2	8.9–13.6
3	High	1.0–1.3	10.6–16.2

SIR Publishers
CENTER FOR INTERNATIONAL SCIENTIFIC PUBLICATIONS
JOURNAL OF VETERINARY SCIENCE
ISSN(Online): 2984-7966
Volume-9, Issue-01, Published |05-03-2026|

4-table:

Ration Structure (%)

№	Level of Use	Winter: %	Summer: %
1	Hay	25–40%	15–20
2	Succulent feeds	20–30	—
3	Concentrates (pelleted feed)	40–45	35–40%
4	Green forage		35–40%

Role of Pelleted Feed in Feeding Breeding Bulls

Pelleted feed products have the following advantages:Uniform distribution of nutrients in each pellet;

Improved digestibility due to grinding and heat treatment;

Reduced feed losses;

Convenient storage and transportation;

Possibility of enrichment with vitamin-mineral premixes and microelements.

The sugar–protein ratio in the ration should be maintained at 0.8–1.2. This can be achieved by including 5–8 kg of fodder beet or 3–4 kg of sugar beet, as well as adding molasses.

Crude fiber content in dry matter should be:

25% during the non-use period;

20% during the active breeding period.

Pelleted feeds allow precise maintenance of these nutritional parameters.

CONCLUSION

The research results indicate that scientifically balanced feeding based on pelleted feed technology significantly improves the reproductive efficiency of breeding bulls and ensures their physiological stability. The use of pelleted concentrates provides:

Optimal supply of metabolizable energy;

Adequate digestible protein for spermatogenesis;

Balanced calcium and phosphorus metabolism;

Active synthesis processes in the rumen microflora;

Stabilization of body condition score;

Improved semen quality and fertilization performance.

Proper management of seasonal ration structure, sugar–protein ratio, and crude fiber content plays an essential role in maintaining the long-term reproductive performance of breeding bulls.

In intensive livestock production systems, pelleted feed products represent a technologically advanced, economically efficient, and biologically sound feeding solution. Their application not only improves the reproductive indicators of individual bulls but also contributes to the genetic progress of the entire herd and the sustainable development of livestock production.

REFERENCES

1. Dosmukhamedova M. Kh., Mamatqulov O. E.Cattle Breeding Work in Cattle Husbandry.Tashkent: Innovative Development Publishing and Printing House, 2025.
2. Textbook.
3. Dosmukhamedova M. Kh., Mamatqulov O. E., Ballasov U. Sh., Donayev Kh. A., Allayarov Sh. Sh.Improving Cattle Breeds: Study Guide.Tashkent: Innovative Development Publishing and Printing House, 2025.Study guide.

4. Homidov Kh. A., Kats M.Practical Recommendations on Cattle Care and Production in Private Farms.Tashkent, 2011.Practical manual.
5. Nosirov U. N.Cattle Husbandry.Tashkent, 2001.Academic publication.
6. Giyosov H.Methodology for the Management of Breeding Cattle in Farms.
7. Scientific article, 2019
8. 6. Rakhimov U.Fundamentals of Phytopathology and Integration of Feeding Technologies.Tashkent, 2025.Textbook (section/educational material).
9. 7. Institute Report (Veterinary and Livestock Sector of Uzbekistan).
10. Report on Livestock Production and Veterinary Service Provision in Uzbekistan.
11. 2022.Institutional report.8.
12. 8. Temirov O. U.Major Cattle Breeds Used in National Breeding Programs.
13. Scientific article, 2024.
14. 9. Presidential Decrees and National Strategies of the Republic of Uzbekistan on Livestock Development (2017–2022).Official regulatory and strategic documents.
15. 10. Gulbutayev B. Kh., Otamurodov T. A., Olimov B. F.Feeding of Cattle According to Production Directions.Scientific article, 2023.