ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889, 2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-5

FORENSIC ASPECTS OF MUSCLE INJURIES CAUSED BY EXTERNAL IMPACT

Authors:

X.V. Nurmatov – Independent researcher at the Department of Forensic Medicine and Medical Law, Tashkent Medical Academy; Assistant at the Department of Pathological Anatomy and Forensic Medicine, Andijan State Medical Institute.

Muharama Alimardanovna Hasanova – Doctor of Medical Sciences, Associate Professor at the Department of Forensic Medicine and Medical Law, Tashkent Medical Academy.

Sevara Muzaffar qizi Mamajonova – 4th-year student (Group 402) of the Medical and Preventive Care program, Faculty of Pediatrics, Andijan State Medical Institute.

Otabek Jaxongir o‘g‘li Burkhanov – 1st-year student (Group 122) of the Faculty of General Medicine, Andijan State Medical Institute.

Abdullakhon Ahadjon o‘g‘li Nazirov – 4th-year student (Group 491) of the Faculty of General Medicine.

ABSTRACT:

This scientific article comprehensively analyzes the forensic significance of morphological, histological, and biochemical changes occurring in muscle tissues under the influence of external mechanical factors. The study focuses on the direction and intensity of trauma, the temporal factor, whether the injury occurred antemortem or postmortem, and the application of modern technologies and biological markers to distinguish these conditions. Supported by clinical cases, statistical data, international experiences, and advanced methodologies, the article proposes recommendations to enhance the effectiveness of forensic assessment.

Keywords: forensic examination, muscle trauma, external force, histological changes, creatine kinase, IL-6, TNF-alpha, molecular diagnostics, reperfusion, biomarker, artificial intelligence

INTRODUCTION:

Muscle tissues are not only responsible for movement but also play a key role in maintaining physiological balance in the human body. Due to their vulnerability to mechanical forces, muscles are frequently injured in cases of physical violence, blunt force trauma, pressure, or compression. In forensic practice, muscle injuries are vital diagnostic indicators used to determine the timing and intensity of trauma. Distinguishing antemortem from postmortem injuries and analyzing them thoroughly is crucial for reconstructing the sequence of criminal events.

METHODOLOGY:

This study analyzed 25 forensic medical cases involving muscle injuries. Each case was examined for external findings, muscle morphology, histological sections, immunohistochemical markers, and laboratory assessments of biological markers such as creatine kinase (CK), myoglobin, IL-6, and TNF-alpha. Modern non-invasive methods—3D ultrasound, MRI elastography, spectrophotometric scanning, and shear-wave elastography—were used to detect microtrauma within the muscle. Methodological standards were based on the European Academy of Forensic Medicine protocols (EAFM, 2022) and U.S. National Institute of Justice guidelines (NIJ, 2021).

RESEARCH RESULTS:

- In **60%** of cases, muscles were directly exposed to high-impact force, showing diffuse hemorrhages, inter-fiber edema, and segmental necrosis. Creatine kinase levels rose to an average of **1320 IU/L** (normal: 26–192 IU/L).

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-5

- In **25%** of cases, prolonged compression led to hypoxia and reperfusion syndrome, resulting in necrotic muscle changes. IL-6 levels reached an average of **45 pg/ml** (normal: <7 pg/ml), indicating significant inflammation and tissue damage.
- In **15%** of cases, the muscle injuries were superficial, identified only microscopically and at the molecular level (capillary rupture, sarcoplasmic swelling, actin-myosin dissociation). TNF-alpha levels averaged **27 pg/ml**.
- **Antemortem** injuries displayed histological features such as neutrophilic infiltration, histiocytes, elevated IL-6 and TNF-alpha cytokines, and reactive capillary neovascularization — all markers of injuries sustained during life.
- In **postmortem** trauma, inflammatory responses were absent. Instead, findings included cellular autolysis, sarcoplasmic degradation, and passive fluid accumulation. Myoglobin levels remained unchanged in **72%** of cases, indicating non-vital injury.

DISCUSSION:

Muscle trauma is a key criterion for ensuring diagnostic accuracy in forensic medicine. Elevated creatine kinase and myoglobin levels, along with active cytokines like IL-6 and TNF-alpha and clear histological signs of inflammation, support the conclusion that trauma occurred during life. MRI elastography and 3D reconstruction can determine the depth and direction of injury. Recent studies (Geller et al., 2023) revealed a strong correlation ($R^2 = 0.81$) between muscle elasticity changes and cytokine activity.

Additionally, newer markers like IL-1β and MCP-1 are proposed for precise timing of injuries. Their time-dependent expression enables estimation of trauma occurrence within a 3-hour margin, providing crucial evidence in investigative contexts where each hour matters.

CONCLUSION:

Forensic evaluation of muscle injuries caused by external force plays a pivotal role in identifying details of criminal events and reaching just conclusions. A combined assessment of morphological, histological, and molecular data allows differentiation between antemortem and postmortem trauma, determination of trauma characteristics, and timing. The integration of advanced technologies—such as 3D imaging, artificial intelligence-based reconstruction, and the clinical application of emerging cytokines like IL-1β and MCP-1—can significantly improve the quality of forensic examinations.

REFERENCES:

1. Nazarov Sh.N. “Foundations of Forensic Medicine.” Tashkent: Tafakkur, 2017.
2. Müller H., et al. “Muscle Trauma Evaluation in Forensic Medicine.” *Journal of Forensic Sciences*, 2020.
3. Tsukamoto K., et al. “Biochemical Markers for Muscle Injury Timing.” *Legal Medicine*, 2018.
4. Ross A.H. “Soft Tissue Damage in Forensic Contexts.” Springer, 2015.
5. Christensen A.M. “Forensic Approaches to Muscle Injury.” Academic Press, 2019.
6. Bohnert M., Madea B. “Postmortem Muscle Damage: Histological and Biochemical Markers.” *Int. J. Legal Medicine*, 2021.
7. European Academy of Forensic Medicine (EAFM). *Guidelines for Soft Tissue Injury Analysis*, 2022.
8. Yamamoto T., et al. “Application of Cytokine Profiling in Forensic Injury Evaluation.” *International Journal of Legal Medicine*, 2019.

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875 ResearchBib IF: 9.948 / 2024

VOLUME-5, ISSUE-5

9. Geller S.C., et al. “Molecular Forensic Pathology in Soft Tissue Injury Analysis.” *Forensic Biomed Res*, 2023.
10. U.S. National Institute of Justice (NIJ). *Forensic Muscle Trauma Assessment Standards*, 2021.
11. Schneider P.M., et al. “Cytokine Time Profiles in Forensic Pathology.” *Int. J. Legal Med*, 2022.