ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875, 2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-6

BIO-INSPIRED PRINCIPLES FOR MODELING INFORMATION COLLECTION IN COLLABORATIVE ROBOT ENVIRONMENTS

Olena Chala [1], Jafar Ababneh [2], Vladyslav Yevsieiev [1], Svitlana Maksymova [1]

[1]Department of Computer-Integrated Technologies, Automation and Robotics, Kharkiv National University of Radio Electronics, Ukraine

[2]Cyber Security department, Faculty of Information Technology, Zarqa University, Zarqa, Jordan

ABSTRACT

The article considers bioinspired principles as a basis for developing models of information collection in the environment of collaborative robots. Special attention is paid to the study of the collective behavior of biological systems, such as anthills, flocks of birds and swarms of bees, which serve as a source of inspiration for building decentralized algorithms. The application of the Ant Behavior Optimization (ACO) method is proposed to implement flexible and adaptive strategies for exploring environments with obstacles. The obtained modeling results demonstrate the effectiveness of the algorithm under conditions of partial uncertainty, agent autonomy and limited sensory information. The potential for further development of bioinspired models in the field of robotic systems for autonomous exploration of complex environments is highlighted.

Keywords: Bioinspired Principles, Collaborative Robots, Ant Colony Optimization, Collective Behavior, Autonomous Navigation, Environmental Modeling, Flexible Control, Artificial Intelligence, Robotics.

INTRODUCTION

In the modern era of scientific and technological progress, when the integration of robotic systems into everyday life, production, medicine, military and rescue industries is becoming increasingly widespread, there is an urgent need to improve methods for organizing interaction between autonomous robots [1]-[22]. Collaborative robotics is a direction that focuses on creating systems where several robots are able to effectively cooperate to achieve a common goal without centralized control. In this context, bio-inspired approaches that are based on modeling natural mechanisms of interaction, self-organization and adaptation observed in living organisms and biological communities are of particular importance.

Nature, over millions of years of evolution, has developed effective strategies for survival, coordinated behavior and collective decision-making, which can serve as a source of inspiration for developers of intelligent robotic systems. In particular, the principles of behavior of swarms of insects, flocks of birds, coordination of fish movements or even the interaction of cells in the body demonstrate an amazing ability to adapt, scale, resistance to failures and save resources. Borrowing these principles allows us to implement in collaborative robots such properties as decentralized decision-making, minimal need for information exchange, the ability to self-learn and self-repair. As a result, the efficiency and reliability of robotic networks operating in complex and uncertain environments increases.

The implementation of bio-inspired concepts also helps to reduce the complexity of developing control algorithms, as it allows the use of simple rules that together form the complex and adaptive behavior of the system.

In view of the above, the study of bio-inspired principles in the design of collaborative robots is extremely relevant and has significant scientific and practical significance, because it is precisely with such approaches that the future of autonomous systems capable of effectively functioning in dynamic real-world conditions lies. Therefore, different methods and approaches can also be used here [23]-[49].

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875, 2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-6

LITERATURE REVIEW

A significant number of articles, reports, and other scientific works are devoted to the problems of controlling a group of robots. Bio-inspired robotics is one of the modern ways to solve this problem. Let us consider several such works.

Ilami, M., and co-authors in [50] note that biological systems can perform complex tasks with high compliance levels. They analyze fundamental advances in bioinspired soft actuators and sensors with a focus on the progress between 2017 and 2020, providing a primer for the materials used in their design.

The paper [51] considers soft robots that mimic the behavior of biological creatures by mimicking their locomotive patterns.

Authors in [52] review bioinspired robots because they can learn to locomote or produce natural behaviors similar to animals and humans. We found that, by synthetically using techniques described in the article, it is possible to deploy reinforcement learning on physical bioinspired robots in actuality.

Guan, J., & et.al. in [53] write that the biologically inspired algorithm is a significant embranchment of sequence on computational intelligence and plays a critical role in industrial robot control. The simulations' findings of the article reveal that the new approach achieves a high-performance ratio of 83.5%, accuracy ratio of 95.4%, less operational time of 7.8%, low RMSE rate of 11.2%, and increased coverage task rate of 96.7% when compared to other existing approaches.

The study [54] proposes an adaptive locomotion control approach for a hexapod robot. Inspired from biological neuro control systems, a 3D two-layer artificial center pattern generator network is adopted to generate the locomotion of the robot.

So we see that bioinspired technologies are widely used in robotics. Later in this article we will propose our application of this approach.

DEVELOPMENT OF A MATHEMATICAL MODEL OF BEHAVIOR IN BIOLOGICAL COMMUNITIES BASED ON THE ANTHILL ALGORITHM FOR MODELING INFORMATION COLLECTION IN THE COLLABORATIVE ROBOTS ENVIRONMENT

Bio-inspired principles are concepts, methods, and strategies borrowed from natural systems that are used in the design and operation of technical systems, including collaborative robots. In the context of collaborative robot design, these principles are based on the study of mechanisms of self-organization, communication, adaptation, resilience, and collective behavior inherent in living organisms and biological communities, such as anthills, bee swarms, flocks of birds, or fish. Bio-inspired approaches allow the creation of robotic systems that can autonomously coordinate their actions, adapt to environmental changes, be scalable, and resilient to failures without the need for centralized control. Thus, they contribute to increasing the efficiency, flexibility, and reliability of collaborative robotics in real-world conditions. Table 1 provides a comparison of the main characteristics of collective behavior in biological communities, which can be useful for studying and applying bioinspired principles in the design of collaborative robots.

Table 1: The main characteristics comparison of collective behavior in biological communities

Parameter	Behavioral patterns in biological communities			
	Anthills	Swarms of bees	Flocks of birds	Schools of fish
Interaction type	Chemical (pheromones)	Chemical, tactile, sound	Visual, aerodynamic	Visual, hydrodynamic
Decision making	Decentralized, through pheromone trails	Collective, with "democratic" choice of leader	Decentralized, based on neighbor behavior	Decentralized, coordination with the closest individuals

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875, 2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-6

Adapting to change	High, due to flexibility of routes and behavior	High, due to flexible swarm and task formation	Average but fast response to threats	Medium, fast rallying
Communication	Mediated through the environment (stigmergy)	Direct and indirect through dances and pheromones	Indirect due to the position and speed of neighbors	Indirect, neighbor-oriented
Choosing a leader	Absent (collective behavior)	Temporary, selected when swarming	Absent (leader behavior is transmitted dynamically)	Missing, orientation to the nearest fish
Failure tolerance	Very high, replacement of individuals does not affect the system	High, tasks are distributed among bees	High, changing one element does not break the flock	High, each individual functions independently
Applicability in robotics	Search algorithms (ACO), routing	Task allocation, path selection, communication	Trajectory matching, obstacle avoidance	Scalability, collision avoidance

Let us consider each model of behavior in biological communities given in Table 1 from the point of view of using them for building flexible and adaptive control systems for a network of collaborative robots.

The Ant Colony Optimization (ACO) method is a bioinspired optimization algorithm that models the behavior of ants when searching for the shortest paths between the nest and the food source. In the context of flexible and adaptive control systems for a network of collaborative robots, ACO provides efficient decentralized routing, coordination, and task distribution between robot agents based on local interaction and self-learning of the system.

The mathematical model of ACO for using them for building flexible and adaptive control systems for a network of collaborative robots is proposed as follows:

– the value of the pheromone between nodes:

$$\tau_{ij}(t), \tag{1}$$

$\tau_{ij}(t)$ – pheromone intensity on the edge (path) between two nodes i and j at time t. It determines the attractiveness of this path for the robot to choose, and is stored in the form of a matrix $\tau \in \mathbb{R}^{N\times N}$, where N is the number of possible nodes (positions, zones, tasks). From the point of view of this study, this is the system's "memory" of the profitability of paths in the past.

– probability of choosing the next node j for agent k:

$$P_{il}^{k}(t) = \begin{cases} \dfrac{[\tau_{ij}(t)]^{\alpha} \cdot [\eta_{ij}]^{\beta}}{\sum_{l\in N_i^k}[\tau_{il}(t)]^{\alpha} \cdot [\eta_{il}]^{\beta}}, j \in N_i^k, \\ 0, \text{ otherwise}, \end{cases} \tag{2}$$

$P_{il}^{k}(t)$ – the probability that robot k will move from node i to node j, i.e. this is a decision-making mechanism by each robot based on local information;

α – pheromone influence coefficient;

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875, 2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-6

β – heuristic information influence coefficient;

α, β – provide an opportunity to regulate the balance between learning and adaptation to new situationsй;

η_{ij} – heuristic desirability of transition, e.g., $\eta_{ij} = \frac{1}{d_{ij}}$, where d_{ij} – distance or costs. From the point of view of this study, this is knowledge of the environment (e.g., proximity to the target, absence of obstacles);

N_i^k – the following nodes are allowed (e.g., not visited or available for interaction).

– pheromone update:

$$\tau_{ij}(t+1) = (1-\rho) \cdot \tau_{ij}(t) + \Delta\tau_{ij}, \quad (3)$$

$\rho \in (0,1)$ – pheromone evaporation rate, prevents oversaturation and maintains the dynamics of adaptation, which is adaptability to changes in the environment;

$\Delta\tau_{ij}$ – new pheromone added after robots have traversed the path.

– aggregated pheromone value:

$$\Delta\tau_{ij} = \sum_{k=1}^{m} \Delta\tau_{ij}^k, where\ \Delta\tau_{ij}^k = \begin{cases} \frac{Q}{L_k}, if\ agent\ k\ used\ (i,j) \\ 0, otherwise, \end{cases}, \quad (4)$$

m – number of agents (robots);

Q – pheromone intensity constant;

L_k – length (cost) of the path found by agent k, e.g. in terms of energy or time.

DEVELOPMENT OF A PROGRAM FOR MODELING INFORMATION COLLECTION IN A COLLABORATIVE ROBOT ENVIRONMENT AND PATH CONSTRUCTION

The choice of the Python programming language for modeling the information collection process in the collaborative robot environment is due to its flexibility, simplicity of syntax, and broad support for scientific libraries [55]-[57]. Thanks to tools such as NumPy, Matplotlib, SciPy, and specialized libraries for artificial intelligence and optimization, Python allows for the effective implementation of complex mathematical models, in particular the Ant Colony Optimization method. An additional advantage is the support for visualization, which significantly facilitates the analysis of robot behavior and modeling results. The language is actively used in the academic and research environment, which ensures the availability of a large number of examples, documentation, and an active community. Python is an ideal tool for rapid development, testing, and improvement of control algorithms in autonomous and collaborative robot systems. Here is a description of the software implementations of the developed mathematical models.

```
# --- ACO parameters ---
alpha = 1.0 # pheromone influence
beta = 5.0 # heuristic information influence
rho = 0.5 # pheromone evaporation rate
Q = 100 # pheromone constant
```

This code snippet defines key parameters of the Ant Colony Optimization (ACO) algorithm that affect the behavior of the ant agents when searching for the optimal path. The alpha parameter determines the degree of influence of the pheromone left on the choice of direction of movement, beta increases the significance of the heuristic assessment, rho sets the rate of evaporation of the pheromone, which prevents excessive accumulation of traces, and Q controls the amount of pheromone that the ant leaves behind after traveling a certain path. Together, these parameters form a balance between exploring new routes and exploiting already found effective solutions.

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875, 2024-6.875 ResearchBib IF: 9.948 / 2024

VOLUME-5, ISSUE-6

```
# --- Environment ---
GRID_SIZE = 20
NUM_ANTS = 10
NUM_ITER = 100
obstacles = [(5, 5), (5, 6), (5, 7), (10, 10), (11, 10), (12, 10)]
target = (18, 18)
```

This code snippet sets the basic parameters for the ACO algorithm to simulate the environment. GRID_SIZE specifies the size of the two-dimensional grid that the ant agents will move through, NUM_ANTS specifies the number of agents in each iteration, and NUM_ITER specifies the total number of iterations of the simulation. The obstacles array represents the coordinates of obstacles in the environment that the ants must avoid, and target specifies the coordinates of the target point that the ants must reach during their exploration.

```
# --- Initializing the Pheromone and Heuristics ---
pheromone = np.ones((GRID_SIZE, GRID_SIZE))
heuristic = np.zeros((GRID_SIZE, GRID_SIZE))
```

This code snippet initializes two main matrices used in the ACO algorithm for collaborative robot navigation. The pheromone matrix is filled with ones and represents the initial level of pheromone in each grid cell, which encourages uniform starting direction selection. The heuristic matrix defines the heuristic attractiveness of the cells, which will later be calculated based on the distance to the goal or other criteria to help agents find their way to the goal point more efficiently.

```
# --- Pheromone update ---
    pheromone *= (1 - rho)
    for path in paths:
        L = len(path)
        for i in range(L - 1):
            x, y = path[i + 1]
            pheromone[x, y] += Q / L
    all_paths.append(paths)
```

This code fragment is responsible for updating the pheromone level in the environment based on the routes found by the ants. First, all pheromones are reduced according to the evaporation coefficient rho, which simulates the natural disappearance of information. Then, an additional pheromone is added to the cells that are part of each passed path, proportional to the value Q / L, where L is the length of the path. Thus, shorter paths are reinforced, which contributes to the formation of optimal routes in subsequent iterations.

Let us simulate information collection in the environment of collaborative robots and path construction, using the following input parameters: alpha = 1.0; beta = 5.0; rho = 0.5; Q = 100, the simulation results are presented in Figure 1.

The results of the simulation using the Ant Colony Optimization (ACO) method, presented in the graph, demonstrate the effectiveness of the bio-inspired approach in determining the optimal path in a complex environment with obstacles. The yellow areas reflect the best available route, which is formed as a result of the iterative amplification of pheromones on cells belonging to the shorter and more efficient paths traveled by the ants. The dark areas indicate the presence of obstacles that were successfully bypassed, which confirms the ability of the ACO algorithm to adaptively take into account changes in the environment. The constructed route is an example of collective intelligence, where the local solutions of each ant are accumulated in the form of global information about the environment. This simulation confirms that the application of ACO allows you to create a flexible and stable navigation system for collaborative robots, capable of independently exploring an unknown area and effectively avoiding collisions with obstacles, while ensuring route optimization according to time or distance criteria. Thus, the obtained results demonstrate the potential of using bio-inspired algorithms in autonomous mobility systems and multi-robot network management.

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875, 2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-6




Figure 1: Simulation results (best path found)

CONCLUSION

The study substantiated the feasibility of using bio-inspired principles for modeling information collection in the environment of collaborative robots. The study of natural mechanisms of collective behavior, in particular, such as the behavior of anthills, bee swarms, flocks of birds and fish, allows us to identify effective strategies for self-organization, flexible response to external changes and distributed decision-making, which can be adapted for robotics tasks. Mathematical modeling based on the Ant Colony Optimization (ACO) method proved the ability of the algorithm to provide a search for optimal paths in a partially unknown environment with numerous obstacles. This allows working agents — collaborative robots — to effectively distribute efforts, minimize the time of the round trip, avoid collisions and at the same time cover the studied area as much as possible. ACO has shown itself to be a stable and adaptive approach that allows for autonomous navigation, relying only on local information and interaction between agents.

The implementation of such algorithms in collaborative robotic systems opens up the prospects for creating scalable, energy-efficient and intelligently controlled platforms for exploring complex and dynamic environments, such as search and rescue operations, environmental monitoring, agro-industrial or industrial facilities. The use of bio-inspired approaches contributes to the development of a new generation of intelligent systems that not only copy natural mechanisms, but also surpass them within the framework of engineering tasks, demonstrating adaptability, resilience and efficiency under conditions of uncertainty.

REFERENCES

1. Nimets, K., Abu-Jassar, A., Maksymova, S., & Yevsieiev, V. (2025). A Small-Sized Mobile Robot Development. ACUMEN: International journal of multidisciplinary research, 2(3), 12-25.
2. Yevsieiev, V., Maksymova, S., & Alkhalaileh, A. (2024). Capturing Human Movements in Real Time in Collaborative Robots Workspace within Industry 5.0. Journal of universal science research, 2(10), 232-247.
3. Maksymova, S., Abu-Jassar, A., Gurin, D., & Yevsieiev, V. (2024). Comparative Analysis of methods for Predicting the Trajectory of Object Movement in a Collaborative Robot-

Manipulator Working Area. Multidisciplinary Journal of Science and Technology, 4(10), 38-48.

4. Chala, O., Yevsieiev, V., Maksymova, S., & Abu-Jassar, A. (2025). Mathematical Model Based on Multi-Agent Reinforcement Learning (MARL) and Partially Observable Markov Decision Process (POMDP) for Modeling Cargo Movement for a Mobile Robots Group. Multidisciplinary Journal of Science and Technology, 5(4), 480-489.
5. Demska, N., Yevsieiev, V., Maksymova, S., & Alkhalaileh, A. (2025). Analysis of Methods, Models and Algorithms for a Collaborative Robots Group Decentralized Control. ACUMEN: International journal of multidisciplinary research, 2(2), 235-249.
6. Yevsieiev, V., Maksymova, S., Alkhalaileh, A., & Gurin, D. (2025). Development of a program for processing 3d models of objects in a collaborative robot workspace using an HD camera. ACUMEN: International journal of multidisciplinary research, 2(1), 194-210.
7. Kuzmenko, O., Yevsieiev, V., Maksymova, S., & Abu-Jassar, A. (2024). Robot Model for Mines Searching Development. Multidisciplinary Journal of Science and Technology, 4(6), 347-355.
8. Nevliudov, I., Yevsieiev, V., Maksymova, S., & Chala, O. (2025). A Small-Sized Robot Prototype Development Using 3D Printing. acta mechanica et automatica, 19(1).
9. Chala, O., Maksymova, S., & Alkhalaileh, A. (2024). Analysis of Systems for Coordination of Enterprise Subsystems Control. Journal of universal science research, 2(10), 127-137.
10. Abu-Jassar, A., Al-Sukhni, H., Al-Sharo, Y., Maksymova, S., Yevsieiev, V., & Lyashenko, V. (2024). Building a Route for a Mobile Robot Based on the BRRT and A*(H-BRRT) Algorithms for the Effective Development of Technological Innovations. International Journal of Engineering Trends and Technology, 72(11), 294-306.
11. Yevsieiev, V., Abu-Jassar, A., & Maksymova, S. (2024). Calculation of the Distance to Objects in Collaborative Robots Workspace Using Computer Vision. Journal of universal science research, 2(11), 240-255.
12. Al-Sharo, Y. M., Abu-Jassar, A. T., Sotnik, S., & Lyashenko, V. (2021). Neural networks as a tool for pattern recognition of fasteners. International Journal of Engineering Trends and Technology, 69(10), 151-160.
13. Abu-Jassar, A. T., Al-Sharo, Y. M., Lyashenko, V., & Sotnik, S. (2021). Some Features of Classifiers Implementation for Object Recognition in Specialized Computer systems. TEM Journal: Technology, Education, Management, Informatics, 10(4), 1645-1654.
14. Sotnik, S., Mustafa, S. K., Ahmad, M. A., Lyashenko, V., & Zeleniy, O. (2020). Some features of route planning as the basis in a mobile robot. International Journal of Emerging Trends in Engineering Research, 8(5), 2074-2079.
15. Baker, J. H., Laariedh, F., Ahmad, M. A., Lyashenko, V., Sotnik, S., & Mustafa, S. K. (2021). Some interesting features of semantic model in Robotic Science. SSRG International Journal of Engineering Trends and Technology, 69(7), 38-44.
16. Lyashenko, V., Abu-Jassar, A. T., Yevsieiev, V., & Maksymova, S. (2023). Automated Monitoring and Visualization System in Production. International Research Journal of Multidisciplinary Technovation, 5(6), 9-18.
17. Ahmad, M. A., Sinelnikova, T., Lyashenko, V., & Mustafa, S. K. (2020). Features of the construction and control of the navigation system of a mobile robot. International Journal of Emerging Trends in Engineering Research, 8(4), 1445-1449.
18. Lyashenko, V., Laariedh, F., Ayaz, A. M., & Sotnik, S. (2021). Recognition of Voice Commands Based on Neural Network. TEM Journal: Technology, Education, Management, Informatics, 10(2), 583-591.
19. Sotnik S., & et al.. (2022). Key Directions for Development of Modern Expert Systems. International Journal of Engineering and Information Systems (IJEAIS), 6(5), 4-10.

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875, 2024-6.875 ResearchBib IF: 9.948 / 2024

VOLUME-5, ISSUE-6

20. Abu-Jassar, A. T., Attar, H., Amer, A., Lyashenko, V., Yevsieiev, V., & Solyman, A. (2025). Development and Investigation of Vision System for a Small-Sized Mobile Humanoid Robot in a Smart Environment. International Journal of Crowd Science, 9(1), 29-43.
21. Abu-Jassar, A. T., Attar, H., Amer, A., Lyashenko, V., Yevsieiev, V., & Solyman, A. (2024). Remote Monitoring System of Patient Status in Social IoT Environments Using Amazon Web Services (AWS) Technologies and Smart Health Care. International Journal of Crowd Science, 8.
22. Hamdan, M., Kamal, I. W., Abu-Jassar, A., Maksymova, S., & Lyashenko, V. (2025). Prototyping of a two-wheeled mobile robot for sustainable manufacturing development based on triangulation method and software development. Journal of Theoretical and Applied Information Technology, 103(8), 3357-3370.
23. Tahseen A. J. A., & et al.. (2023). Binarization Methods in Multimedia Systems when Recognizing License Plates of Cars. International Journal of Academic Engineering Research (IJAER), 7(2), 1-9.
24. Sotnik, S., & Lyashenko, V. (2022). Prospects for Introduction of Robotics in Service. Prospects, 6(5), 4-9.
25. Sotnik, S., & Lyashenko, V. (2022). Prospects for Introduction of Robotics in Service. Prospects, 6(5), 4-9.
26. Ahmad, M. A., Baker, J. H., Tvoroshenko, I., & Lyashenko, V. (2019). Computational complexity of the accessory function setting mechanism in fuzzy intellectual systems. International Journal of Advanced Trends in Computer Science and Engineering, 8(5), 2370-2377.
27. Lyashenko, V., Kobylin, O., & Ahmad, M. A. (2014). General methodology for implementation of image normalization procedure using its wavelet transform. International Journal of Science and Research (IJSR), 3(11), 2870-2877.
28. Lyashenko, V. V., Babker, A. M. A. A., & Kobylin, O. A. (2016). The methodology of wavelet analysis as a tool for cytology preparations image processing. Cukurova Medical Journal, 41(3), 453-463.
29. Lyashenko, V. V., Matarneh, R., & Deineko, Z. V. (2016). Using the Properties of Wavelet Coefficients of Time Series for Image Analysis and Processing. Journal of Computer Sciences and Applications, 4(2), 27-34.
30. Ababneh, J., Abu-Jassar, A., Abuowaida, S., Liubchenko, V., & Lyashenko, V. (2024, December). Evaluation of Three Different Operators for Object Highlighting in Medical RGB Images: Canny, Roberts, and LoG in Independent Color Spaces. In 2024 25th International Arab Conference on Information Technology (ACIT) (pp. 1-7). IEEE.
31. Orobinskyi, P., Deineko, Z., & Lyashenko, V. (2020). Comparative Characteristics of Filtration Methods in the Processing of Medical Images. American Journal of Engineering Research, 9(4), 20-25.
32. Mousavi, S. M. H., Lyashenko, V., & Prasath, V. B. S. (2019). Analysis of a robust edge detection system in different color spaces using color and depth images. Computer Optics, 43(4), 632-646.
33. Lyubchenko, V., Veretelnyk, K., Kots, P., & Lyashenko, V. (2024). Digital image segmentation procedure as an example of an NP-problem. Multidisciplinary Journal of Science and Technology, 4(4), 170-177.
34. Orobinskyi, P., Petrenko, D., & Lyashenko, V. (2019, February). Novel approach to computer-aided detection of lung nodules of difficult location with use of multifactorial models and deep neural networks. In 2019 IEEE 15th International Conference on the Experience of Designing and Application of CAD Systems (CADSM) (pp. 1-5). IEEE.

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875, 2024-6.875 ResearchBib IF: 9.948 / 2024

35. Mousavi, S. M. H., MiriNezhad, S. Y., & Lyashenko, V. An Evolutionary-Based Adaptive Neuro-Fuzzy Expert System as a Family Counselor before Marriage with the Aim of Divorce Rate Reduction. Education, 1, 5.
36. Sotnik, S. Overview: PHP and MySQL Features for Creating Modern Web Projects / S Sotnik, V. Manakov, V. Lyashenko //International Journal of Academic Information Systems Research (IJAISR). – 2023. – Vol. 7, Issue 1. – P. 11-17.
37. Lyashenko, V. V., Matarneh, R., Baranova, V., & Deineko, Z. V. (2016). Hurst Exponent as a Part of Wavelet Decomposition Coefficients to Measure Long-term Memory Time Series Based on Multiresolution Analysis. American Journal of Systems and Software, 4(2), 51-56.
38. Lyashenko, V. V., Matarneh, R., & Deineko, Z. V. (2016). Using the Properties of Wavelet Coefficients of Time Series for Image Analysis and Processing. Journal of Computer Sciences and Applications, 4(2), 27-34.
39. Tvoroshenko, I., Lyashenko, V., Ayaz, A. M., Mustafa, S. K., & Alharbi, A. R. (2020). Modification of models intensive development ontologies by fuzzy logic. International Journal of Emerging Trends in Engineering Research, 8(3), 939-944.
40. Matarneh, R., Tvoroshenko, I., & Lyashenko, V. (2019). Improving Fuzzy Network Models For the Analysis of Dynamic Interacting Processes in the State Space. International Journal of Recent Technology and Engineering, 8(4), 1687-1693.
41. Lyashenko, V., & et al.. (2016). The Methodology of Image Processing in the Study of the Properties of Fiber as a Reinforcing Agent in Polymer Compositions. International Journal of Advanced Research in Computer Science, 7(1), 15-18.
42. Kuzemin, A., Lyashenko, V., Bulavina, E., & Torojev, A. (2005). Analysis of movement of financial flows of economical agents as the basis for designing the system of economical security (general conception). In Third international conference «Information research, applications, and education (pp. 27-30).
43. Deineko, Zh., & et al.. (2021). Features of Database Types. International Journal of Engineering and Information Systems (IJEAIS), 5(10), 73-80.
44. Kobylin, O., & Lyashenko, V. (2020). Time Series Clustering Based on the K-Means Algorithm. Journal La Multiapp, 1(3), 1-7.
45. Vasiurenko, O., Baranova, V., & Lyashenko, V. (2024). Probability distributions of interest rates on loans and deposits in a study of banking activities. Multidisciplinary Journal of Science and Technology, 4(1), 49-56.
46. Omarov, M., Tykha, T., & Lyashenko, V. (2019). Use of Wavelet Techniques in the Study of Internet Marketing Metrics. Eskişehir Technical University Journal of Science and Technology A-Applied Sciences and Engineering, 20, 157-163.
47. Ahmad, M. A., Baker, J. H., Tvoroshenko, I., Kochura, L., & Lyashenko, V. (2020). Interactive Geoinformation Three-Dimensional Model of a Landscape Park Using Geoinformatics Tools. International Journal on Advanced Science, Engineering and Information Technology, 10(5), 2005-2013.
48. Al-Sherrawi, M. H., Lyashenko, V., Edaan, E. M., & Sotnik, S. (2018). Corrosion as a source of destruction in construction. International Journal of Civil Engineering and Technology, 9(5), 306-314.
49. Lyashenko, V. V., Deineko, Z. V., & Ahmad, M. A. Properties of wavelet coefficients of self-similar time series. In other words, 9, 16.
50. Ilami, M., Bagheri, H., Ahmed, R., Skowronek, E. O., & Marvi, H. (2021). Materials, actuators, and sensors for soft bioinspired robots. Advanced Materials, 33(19), 2003139.
51. Ahmed, F., Waqas, M., Jawed, B., Soomro, A. M., Kumar, S., Hina, A., ... & Choi, K. H. (2022). Decade of bio-inspired soft robots: A review. Smart Materials and Structures, 31(7), 073002.

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875, 2024-6.875 ResearchBib IF: 9.948 / 2024

VOLUME-5, ISSUE-6

52. Zhu, W., Guo, X., Owaki, D., Kutsuzawa, K., & Hayashibe, M. (2021). A survey of sim-to-real transfer techniques applied to reinforcement learning for bioinspired robots. IEEE Transactions on Neural Networks and Learning Systems, 34(7), 3444-3459.
53. Guan, J., Su, Y., Su, L., Sivaparthipan, C. B., & Muthu, B. (2021). Bio-inspired algorithms for industrial robot control using deep learning methods. Sustainable Energy Technologies and Assessments, 47, 101473.
54. Ouyang, W., Chi, H., Pang, J., Liang, W., & Ren, Q. (2021). Adaptive locomotion control of a hexapod robot via bio-inspired learning. Frontiers in Neurorobotics, 15, 627157.
55. Yevsieiev, V., & et al. (2024). Building a traffic route taking into account obstacles based on the A-star algorithm using the python language. Technical Science Research In Uzbekistan, 2(3), 103-112.
56. Gurin, D., & et al. (2024). Web site reliability analysis using the python parsing method. Journal of Universal Science Research, 2(5), 113-126.
57. Yevsieiev, V., & et al. (2024). A Program for Analyzing the Structure of a Web site Development Using the Parsing Method Based on the Python. Journal of Universal Science Research, 2(4), 172-183.