ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-6

THEORETICAL FOUNDATIONS OF STRESS

Makhliyo B.Yuldasheva
PhD in psychological sciences, associated professor
Department of Psychology, Fergana state university, Fergana city, Uzbekistan
ORCID: 0000-0002-4624-7039
myuldasheva229@gmail.com

Abstract. The article discusses theoretical approaches to the study of the phenomenon of stress, its nature, sources and mechanisms of influence on the human psyche and behavior. The classical and modern concepts of stress are analyzed, including the works of G. Selye, R. Lazarus and other researchers. Special attention is paid to the differences between physiological and psychological stress, as well as the role of cognitive factors in the perception of stressful situations. The main stages of stress, its functions and possible consequences for the personality are revealed. Strategies for coping with stress and the relevance of the topic in the context of modern life are discussed. The theoretical data obtained can serve as a basis for further empirical research and practical activities in the field of psychology.

Keywords: stress, stress factors, coping strategies, psychological adaptation, Selye theory, cognitive approach.

The modern world is characterized by a high level of dynamism, information overload and the constant influence of external stressful factors, which makes the study of stress especially relevant. The concept of stress has long gone beyond the medical and physiological discipline and has become a key object of research in psychology, pedagogy, sociology and other sciences. The interest in the theoretical foundations of stress is driven by the need for a deeper understanding of the mechanisms underlying human adaptive responses to difficult life circumstances. Stress affects not only your physical condition, but also your mental and emotional well-being, professional performance, interpersonal relationships, and overall quality of life. Studying the theoretical aspects of stress is an important step towards developing effective strategies to prevent and overcome the negative effects of stressful conditions.

Stress is a widely studied topic in many scientific studies, in the fields of psychology, physiology, neurology and medicine, as a key factor affecting the mental, physical and social health of a person. This issue has been constantly raised in scientific research, articles, monographs and doctoral dissertations, and various aspects of it have been explored. Physiological and psychological aspects of stress, their mutual differences and forms of manifestation have been the focus of attention in the scientific world for several years. The following details these two forms of stress and how they have been studied in the literature.

Canadian physiologist Gans Selye (1907-1982) is considered the founder of stress theory. He was the first to introduce the concept of “stress” into the scientific environment in 1936. According to Selye, stress is the body’s nospecific response to any demand or influence. Regardless of whether this requirement is positive or negative, the body tries to adapt to it through its physiological and biological systems. The concept of physiological stress was originally put forward by Gans Selye in the 1930s. Selye defined stress as a condition that causes physical changes in the body, evaluating it as an adaptive response of the body. His theory of “General Adaptation Syndrome” involves

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875 ResearchBib IF: 9.948 / 2024

physiological processes of stress. According to Selye's theory, stress changes the organism in three stages: alarm response, resistance and defamation [5]. His research has contributed significantly to the understanding of the effects of stress on the body. The general adaptation syndrome developed by Selye describes three main stages of stress:

1. Anxiety stage. At this stage, the body reacts rapidly in response to a source of stress. Hormonal changes begin-mainly stress hormones such as adrenaline and cortisol are released. The heart rate accelerates, blood pressure increases, muscles tense, that is, the body prepares for a "fight or run" state.

2. Adaptation phase. If the stress factor persists for a long time, the body will try to adapt to it. At this stage, the body mobilizes its resources and maintains an internal balance to deal with stress. However, if this condition lasts longer, the resources will decrease and the body will get tired.

3. Stage of holziness. When Stress is long-term or strong, the body's adaptation resources are exhausted. At this stage, chronic fatigue, decreased immunity, psychosomatic diseases (for example, gastritis, heart disease, headaches) may appear [5].

The importance of Selye's theory is that:

- He was the first to interpret stress as a physiological process.
- Proved that Stress States lead not only to mental, but also to physical diseases.
- On the basis of his theory, methods of combating stress have been developed in many areas (psychology, medicine, sports, pedagogy).

Further research into the physiological mechanisms of stress continued in the following years. The "fight or flight" reaction proposed by Cannon (1939) induces rapid physiological changes in the body in response to stress. In these processes, physiological changes such as an increase in the amount of the hormones adrenaline and norepinephrine, an acceleration of the heart rate, an increase in blood pressure are observed. Prolonged stress leads to an increase in cortisol levels, which in turn causes a weakening of the immune system [4].

The first scientific research on the psychological aspects of stress was based on the cognitive approach proposed by Lazarus and Folkman (1984). They argued that stress depends not only on external risks, but also on how a person perceives and evaluates these risks. Lazarus and Folkman understand stress in two stages: assessing a stressful situation and managing a stress response. They propose to understand stress not only on external factors, but on the basis of the individual's specific views, feelings and experiences [1].

Richard Lazarus and Susan Folkman are representatives of Science who have made significant contributions to the study of psychological aspects of stress in cognitive psychology. Their theory attempts to understand stress through the process of psychological assessment, rather than treating it as a purely physiological or biological response. This approach treats stress as a subjective experience, which means that each person can assess stress differently and react differently to it. The basic concepts and principles of Lazarus and Folkman cognitive stress theory include:

Stress assessment theory-Lazarus and Folkman describe stress as an assessment process. In their opinion, the presence and intensity of stress depends on how a person evaluates reality, how he understands his resources and how he deals with the event. The evaluation process takes place in two stages:

1. At the first assessment stage, a person evaluates an event as good or bad, that is, dangerous or safe. This assessment determines the level of the stress source. For example, a person may see the situation as "life-threatening" or "simple and not demanding attention".

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875 ResearchBib IF: 9.948 / 2024

2. Second assessment. If an event is assessed as dangerous, the person will assess their ressours (psychological, physical or social) in the second stage and their chances of flying or fighting. That is, the abilities, opportunities and options for getting help that a person has determine how to deal with stress.

Stress and adaptation another important concept put forward by Lazarus and Folkman is the process of adaptation (coping). They noted that in response to stress, people use two different ways of adaptation:

1. Situation-oriented adaptation. This method is aimed at solving the source of stress. For example, a person tries to solve an issue, seek a solution, or change the situation. This type of adaptation aims to eliminate stress from an external source.

2. Emotion-oriented adaptation. If it is impossible to change or resolve the situation, the person will try to control and reassess his emotions. In this type of adaptation, a person applies various methods (e.g. meditation, stress-reducing techniques) to get rid of the emotional effects of stress.

The main principles of cognitive stress theory are:

1. Stress is subjective-the extent and importance of stress depends on the individual assessment of each person.
2. There is a dynamic relationship between Stress and adaptation – how to assess stress and how to react to it depends on the psychological state and resources of a person.
3. The results of stress are based on resources and approaches – the impact of stress on human health and general condition, it depends on how he chooses the methods of coping.

The importance of the theory that Richard Lazarus and Susan Folkman put forward in cognitive psychology is that this approach opened up new directions in the study of stress. Their work helped analyze stress not only as a biological or physiological response, but also from a psychological and emotional point of view. This approach also laid the foundation for the development of psychotherapeutic methods in managing and combating stress.

The main conclusion of Lazarus and Folkman's theory is that stress is always manifested through subjective assessment and methods of individual adaptation. How to react to stress depends on a person's specific psychological resources and personal approaches.

There have been a number of studies on the psychological aspects of stress, particularly its effects on mental health. Cohen and Wills (1985) showed in their work that stress can be reduced through a system of social support [6]. Also, Hobfall (1989) explains stress in his Resource Conservation theory by relating it to damage to an individual's resources and difficulties in recovering those resources. Various forms of stress perception and response have been shown to be relevant to improving psychological health and addressing disease [7].

There is also scientific research on the interactions between the physiological and psychological aspects of stress. A study by Kiecolt-Glaser et al (1998) linked psychological aspects of stress, such as impaired memory and attention, weakened immune systems, and other negative consequences. They have researched long-term effects of stress and have shown how these effects lead to physiological changes [2].

Sapolsky (1998) and other researchers have noted the irreversible effects of stress and the detrimental effects of long-term stress on all systems of the body. They cited stress as a contributing factor in the development of many diseases in medicine, notably heart disease, high blood pressure, diabetes, and mental illness. The study of Stress and its long-term effects is also important in developing new ways to manage stress [3].

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875 ResearchBib IF: 9.948 / 2024

The study of the physiological and psychological aspects of stress is one of the most pressing issues in modern psychology and medicine. Many scientific studies have been carried out by a number of researchers and scientists to reduce the negative effects of stress and develop effective approaches to it. This research makes it possible to develop new stress management techniques by studying how stress causes physiological and psychological changes, its long-term effects, and the harm these effects cause to the body.

Stress is one of the body's natural responses, and neurophysiology plays an important role in understanding its effects on many physiological processes. Neurophysiological bases talk about how the body responds to stress, especially the role of the central nervous system and the hormonal system. The effect of stress on the nervous system is achieved through two main systems, consisting mainly of the sympathetic nervous system and the hormone system. The sympathetic nervous system forms the basis for the organism's "fight or run" Response (fight-or-flight response). This system begins to work very quickly in response to the stress factor and prepares the body for solving life problems.

The hormones adrenaline and norepinephrine are released, which accelerate the heart rate, increase blood pressure, promote muscle strengthening and increase breathing rate. The sympathetic nervous system, when it senses stress, sends a rapid signal through the brain and spinal cord, triggering a chain of reactions detected in body organs. The sympathetic nervous system is essential for the body's training, but long-term or prolonged stress can cause ugly physiological effects in the body, such as heart disease, high blood pressure and headaches.

Another important neurophysiological factor of stress is the hormone system. In the case of Stress, the brain activates a system that includes the hypothalamus, pituitary and adrenal glands. The functioning of this axis enhances the physiological responses of stress.

- Once the hypothalamus senses stress, corticotropin produces a hormone called releasing hormone. This hormone activates the pituitary gland and secretes the hormone adrenocorticotropin from it.
- Hormone adrenocorticotropin on the other hand, stimulates the adrenal glands, which in turn begin to secrete cortisol. Cortisol is known as a stress hormone and it plays a key role in preparing the body in response to stress. If cortisol is kept high over the long term, it can be harmful to health. In this, the immune system is weakened, bones and muscles are weakened, the psychological state can be disturbed.

Stress also occurs in relation to the limbic system. The limbic system (a set of brain systems that control emotions, motivation, memory, and stress responses) plays an important role in response to stress. The main structures in the limbic system are the following:

1. Amygdala - this structure is known as a controller of fear and anxiety. The amygdala produces exciting and emotional responses in response to stress.
2. The hippocampus is a region associated with memory and learning. It can be damaged under long-term stress conditions, causing problems in the storage and processing of information.

The activity of the limbic system also provokes emotional stress, dark thoughts and unstable mental states. It should also be noted the relationship between stress and the imun system. Prolonged stress and high levels of cortisol can reduce the effectiveness of the immune system. This condition weakens the body against infections and diseases. With high levels of cortisol in the body fighting stress, a decrease in the immune system is complementary.

Neurophysiologically, stress is a complex process that causes all human systems to change. The sympathetic nervous system and hormone system prepare the organism in response to stress, providing a fight or escape response. However, long-term stress can disrupt the physiological balance

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875 ResearchBib IF: 9.948 / 2024

of the body and harm physical and mental health. The study of the neurophysiological basis of stress is important in the development of ways to prevent and control its negative effects. Thus, stress is a complex and multicomponent psychophysiological phenomenon that occurs in response to the effects of internal or external factors perceived by a person as threatening or exceeding his adaptive capabilities. Theoretical research, starting with the work of G. Selye, laid the foundation for understanding the nature of stress, its stages and effects on the body and psyche.

The variety of approaches to stress interpretation, from biological to cognitive-behavioral, demonstrates the breadth and depth of the problem being studied. The role of subjective perception and individual coping strategies in the formation of stress reactions is particularly important. Modern concepts emphasize the need for an integrated approach to stress analysis, taking into account both physiological and psychological factors.

Awareness of the theoretical foundations of stress makes it possible to develop more effective methods for the prevention and correction of stress conditions, which is especially important in the context of increasing demands on the mental stability of the individual in modern society.

REFERENCES:

1. Водопьянова Н. Е. Психодиагностика стресса. — СПб.: Питер, 2009. 336 с.
2. Куваева, И. О. Психология стресса : практикум / И. О. Куваева ; Министерство науки и высшего образования Российской Федерации, Уральский федеральный университет. – Екатеринбург : Изд-во Урал. ун-та, 2023. – 88 с.
3. **Сапольски Р.** Психология стресса: пер. с англ. — 3-е изд. — СПб.: Питер, 2015. **ISBN 9785496009973**
4. Billings A. G., Moos R. H. Coping, stress, and social resources among adults with unipolar depression // Journal of Personality and Social Psychology. 1984. V. 46. N 4. 877–891
5. Heszen-Niejodek I. Teoria stresu psychologicznego i radzenia sobie // Strelau J. (red.). Psychologia. Gdańsk: Gdańskie Wydawnictwo Psychologiczne. 2000. T. 3. P. 465–492
6. Yuldasheva, M. B. (2020). Analysis of treatments about the feeling of loneliness. In Психологическое здоровье населения как важный фактор обеспечения процветания общества (pp. 55-58).
7. Yuldasheva, M. B. (2024). Peculiarities of psychological safety. Journal of child psychology and psychiatry.