ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-6

# CHANGES IN BODY MEASUREMENTS DURING PREGNANCY

**Usmanova Dilfuza Ravshan qizi**
Namangan State Technical University, PhD candidate
+998 99 004 12 03
e-mail: usmanovadilfuzaravshanzqi1996@gmail.com
**Mahsudov Shohruxmirzo Abdulhamid o'g'li**
Namangan State Technical University, PhD, Associate Professor
+998 94 309 77 90
e-mail: shohruxmahsudov@gmail.com

**Abstract.** This article analyzes the physical changes in body measurements of 15 healthy pregnant women between the 3rd and 9th months of pregnancy through scientific observations and measurements. For each month, specific anthropometric changes and their causes are discussed. The results show that during pregnancy, abdominal perimeter, waist circumference, hip circumference, and body weight increase significantly. These findings are essential for monitoring pregnancy, identifying risk factors, preparing for childbirth, and ensuring postpartum recovery.
**Keywords:** Pregnancy, anthropometry, abdominal perimeter, body change, observational analysis, physiology.

**Introduction:** Pregnancy is a complex and profound phase of physiological changes in women, during which various anatomical and physiological transformations occur. This research aims to analyze and identify changes in body parameters during the period from the 3rd to the 9th month of pregnancy.

**Research Methodology:**

The study involved 15 pregnant women from the 3rd to the 8th month of pregnancy. Each month, the women's height, chest, waist, abdomen, hip circumference, and body weight were measured. The measurements were conducted using standard anthropometric methods. The collected data was analyzed to determine average monthly changes.

**Results.**

According to the results of the study, significant changes were observed in the main body measurements during pregnancy:

- Chest circumference increased by an average of 8–12 cm;
- Waist circumference increased by 10–15 cm;
- Abdominal circumference increased by 12–18 cm;
- Hip circumference increased by 5–8 cm;
- Weight gain was attributed to an increase in tissue and fluid volume in the fetus, the placenta, amniotic fluid, and the accumulation of fat reserves in the mother's body.


While body measurement changes were relatively minor in the first trimester, the rate of growth accelerated significantly in the second (5–6 months) and third (7–8 months) trimesters.

The following diagram reflects the changes in abdominal perimeter and body weight of women during the period from the 3rd to the 9th month of pregnancy:

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-6




**Analytical Data by Month.**

Month 3
- Abdominal perimeter: 78.5 cm;
- Body weight: 58.3 kg.
- Note: At this stage, the uterus begins to expand. Hormone levels (progesterone, estrogen) increase, and the body starts accumulating fluids and fat.

Month 4
- Abdominal perimeter: 84.2 cm;
- Body weight: 60.4 kg.
- Note: The fetus begins to grow. The uterus rises into the abdominal cavity, and fat accumulation intensifies.

Month 5
- Abdominal perimeter: 90.6 cm;
- Body weight: 63.1 kg;
- Note: The skeletal system forms, and fetal movements become noticeable. The cardiovascular and respiratory systems begin to operate under increased load.

Month 6
- Abdominal perimeter: 97.3 cm;
- Body weight: 65.8 kg;
- Note: Fat tissues develop. Lower back pain may increase, and lumbar lordosis becomes more pronounced.

Month 7
- Abdominal perimeter: 103.9 cm;
- Body weight: 68.6 kg;
- Note: The central nervous system becomes more active. Pressure on internal organs increases.

Month 8
- Abdominal perimeter: 109.7 cm;
- Body weight: 71.2 kg;

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-6

- Note: Fluid retention increases, leading to fatigue and difficulty walking.

Month 9

- Abdominal perimeter: 114.2 cm;
- Body weight: 73.4 kg;
- Note: The fetus prepares for birth. The uterus drops lower, and biomechanical changes in walking occur.

**Monthly Anthropometric Changes During Pregnancy**

| Month | Abdominal circumference (cm) | Body weight (kg) | Chest circumference (cm) | hip circumference | waist circumference | hip circumference (leg) | note |
|---|---|---|---|---|---|---|---|
| 3 | 78.5 | 58.3 | 86.1 | 71.2 | 89.4 | 93.2 | The uterus begins to dilate. Hormones increase. |
| 4 | 84.2 | 60.4 | 89.3 | 76.8 | 91.6 | 96.5 | The fetus grows, the uterus rises, and fat accumulates. |
| 5 | 90.6 | 63.1 | 93.5 | 82.1 | 94.3 | 100.4 | The fetus's skeleton is forming. The heart and respiratory system are under load. |
| 6 | 97.3 | 65.8 | 96.4 | 87.6 | 98.2 | 104.6 | Fat tissue forms. Back pain begins. |
| 7 | 103.9 | 68.6 | 99.1 | 93.4 | 102.1 | 108.9 | The nervous system is activated. Pressure on internal organs increases. |
| 8 | 109.7 | 71.2 | 102.5 | 98.9 | 105.6 | 113.4 | Fluid builds up. Walking becomes difficult. |
| 9 | 114.2 | 73.4 | 104.3 | 102.6 | 108.8 | 117.3 | The fetus is ready for birth. The uterus descends. |

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875 ResearchBib IF: 9.948 / 2024



VOLUME-5, ISSUE-6

**Conclusion.**

This study made it possible to identify the main anthropometric changes occurring in a woman's body during pregnancy. These findings play an important role in proper pregnancy monitoring, identifying risk factors, preparing for childbirth, and ensuring postpartum recovery.

**Recommendations.**

- Development of maternity support belts made from adaptive materials suitable for each month of pregnancy.
- Advancement of smart bandage technologies.
- Implementation of individualized monitoring systems for pregnant women.

**References:**

1. Guyton, A.C., Hall, J.E. (2021). Textbook of Medical Physiology. Elsevier.
2. Cunningham, F.G. et al. (2022). Williams Obstetrics. McGraw-Hill.
3. Tortora, G.J., Derrickson, B. (2017). Principles of Anatomy and Physiology. Wiley.
4. Moore, K.L., Persaud, T.V.N., Torchia, M.G. (2019). Before We Are Born. Elsevier.
5. Gibb, D.M.F., Arulkumaran, S. (2020). Obstetrics by Ten Teachers. CRC Press.
6. Fraser, D.M., Cooper, M.A. (2021). Myles Textbook for Midwives. Elsevier.
7. WHO (2020). WHO Recommendations on Antenatal Care for a Positive Pregnancy Experience.
8. Bayer, D. (2015). Physiology of Pregnancy. Anatomic & Clinical Textbook. London: Academic Press.
9.World Health Organization (WHO). Maternal health: https://www.who.int/maternal_newborn_child_health.