ISSN: 2582-4686 SJIF 2021-3.261, 2022-2.889, 2023-5.384, 2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-6

MAJOR MEGACITIES IN CHINA AND AIR POLLUTION: URBAN ECOLOGICAL CHALLENGES

Tuxtamuratova Dilnoza Dilmurodovna
Bukhara State Pedagogical Institute

Abstract: This paper investigates the relationship between rapid urbanization and air pollution in China's major megacities, including Beijing, Shanghai, Guangzhou, and Chengdu. The research highlights key sources of air pollutants, analyzes urban ecological impacts, and evaluates policy measures. Based on statistical and remote sensing data, the study identifies challenges to urban sustainability and suggests integrated solutions for improving urban air quality and public health.

Keywords: Air pollution, megacities, China, urban ecology, PM2.5, environmental policy, sustainable development

China has experienced unprecedented urban growth over the last four decades. As a result, several cities have transformed into megacities—urban agglomerations with over 10 million residents. Among them, Beijing, Shanghai, Guangzhou, and Chengdu stand out for their economic, political, and demographic importance.

However, this rapid urban expansion has triggered significant environmental issues, especially **air pollution**, which poses severe health and ecological risks. In particular, the high concentrations of **PM2.5**, **NOx**, **SO_2**, and **O_3** are among the major air pollutants affecting urban residents.

This paper aims to explore the causes of air pollution in China's megacities, assess the urban ecological consequences, and analyze the effectiveness of government mitigation strategies.

This study employs a mixed-methods approach based on the following data sources and methodologies:

- **Remote Sensing and Satellite Imagery:** MODIS and Sentinel-5P data were used to track atmospheric pollutants over Chinese megacities from 2015 to 2023.
- **Air Quality Index (AQI) Data:** Daily AQI values were obtained from the China National Environmental Monitoring Center (CNEMC).
- **Statistical Analysis:** Correlations between pollutant levels and urban activities (vehicle density, industrial output) were examined.
- **Policy Review:** Analysis of environmental policy documents, including China's **Air Pollution Prevention and Control Action Plan** (2013–2020) and the **Blue Sky Protection Campaign**.

Air Pollution Levels in Major Cities (2023)

City	Avg PM2.5 (μg/m³)	Days Exceeding WHO Limit (%)	Primary Sources
Beijing	45	62%	Vehicle emissions, coal heating
Shanghai	38	49%	Shipping, industry
Guangzhou	35	41%	Traffic, construction dust

ISSN: 2582-4686 SJIF 2021-3.261, 2022-2.889, 2023-5.384, 2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-6

City	Avg PM2.5 (μg/m³)	Days Exceeding WHO Limit (%)	Primary Sources
Chengdu	52	68%	Biomass burning, industry

Urban Ecological Impacts

- **Biodiversity loss** in urban green spaces due to ozone and SO_2 exposure.
- Increased **urban heat island effect** linked to particulate matter absorption.
- Accelerated **respiratory illnesses** and cardiovascular issues among residents.
- Declining visibility and sunlight penetration negatively affect photosynthesis in urban vegetation.

Policy Outcomes

- The **Air Pollution Control Plan** helped reduce coal usage in northern cities by over 40% (2013–2020).
- Introduction of **electric buses and EV subsidies** in major cities.
- Closure or relocation of high-emission industries from urban centers.

Air pollution in China's megacities stems from a combination of **structural factors** (industrial base, energy reliance on coal), **behavioral patterns** (private car usage), and **climatic conditions** (e.g., wind stagnation in basins like Chengdu).

Despite policy progress, several challenges remain:

- **Policy enforcement gaps** at local levels, especially in rapidly growing suburban zones.
- **Winter heating demand** in the north still depends heavily on fossil fuels.
- **Secondary pollution** from chemical reactions in the atmosphere complicates mitigation.

Urban ecological health is threatened as air pollution disrupts natural processes such as pollination and vegetation growth. Additionally, the psychological effects of living in smog-prone environments are an emerging concern.

Integrating **green urban planning**, **renewable energy transitions**, and **public education** is essential for long-term sustainability.

China’s megacities face complex ecological challenges due to persistent air pollution. While progress has been made through national policies and technological investments, urban sustainability requires:

- Strengthened multi-level governance,
- Public participation in air quality monitoring,
- Expansion of green infrastructure,
- Aggressive decarbonization strategies.

Continued research and cross-sector cooperation will be vital to improve urban ecological resilience and ensure a healthier future for China's urban population.

References

1. Ministry of Ecology and Environment of China (2023). China Air Quality Annual Report.
2. Wang, S. et al. (2022). “Air pollution and public health in China: Progress and challenges.” Environmental Research Letters, 17(4).
3. WHO (2021). Air Quality Guidelines – Global Update 2021.

ISSN: 2582-4686 SJIF 2021-3.261, 2022-2.889, 2023-5.384, 2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-6

4. Chen, J. & Zhang, L. (2020). "Megacities and the environment: Urbanization in China." Urban Climate, 34.

5. World Bank (2019). Clean Air and Sustainable Cities in East Asia.

6. NASA Earth Observatory. "Tracking Airborne Pollution over China" (2015–2023).