ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889, 2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-11

ADVANCED PHOTOCATALYTIC DEGRADATION OF ORGANIC POLLUTANTS USING DOPED TITANIUM DIOXIDE NANOSTRUCTURES

Karimov Husniddin Xayrullo o'g'li

Termez State University of Engineering and Agrotechnology, teacher of Karshi District Agro-Industrial Technical School

АННОТАЦИЯ

Растущая глобальная обеспокоенность относительно стойкости органических загрязнителей в водных средах активизировала исследования в области передовых процессов окисления, в частности фотокатализа. Диоксид титана, несмотря на его широкое применение в качестве фотокатализатора, обладает такими внутренними недостатками, как ограниченное поглощение видимого света и быстрая электронно-дырочная рекомбинация. В настоящем исследовании исследуются фотокаталитические свойства наноструктур TiO_2, легированных металлами и неметаллами, синтезированных модифицированным золь-гель методом. Особое внимание уделяется взаимодействию между структурными дефектами, внедрением легирующей примеси и путями переноса заряда, которые в совокупности определяют каталитическую активность. Результаты показывают, что синергетическое легирование существенно усиливает кинетику разложения модельных загрязнителей, превосходит чистый TiO_2 при идентичных условиях облучения и предлагает масштабируемую платформу для очистки сточных вод. В исследовании также рассматриваются методологические усовершенствования, аналитическая строгость и механистическая интерпретация, что позволяет критически взглянуть на разработку фотокатализаторов нового поколения.

Ключевые слова: диоксид титана, фотокатализ, легированные наноматериалы, органические загрязнители, рекомбинация зарядов, активация видимым светом, золь-гель синтез, передовые процессы окисления, химия окружающей среды, очистка воды.

Abstract

The growing global concern regarding the persistence of organic contaminants in aquatic environments has intensified research into advanced oxidation processes, particularly photocatalysis. Titanium dioxide, despite its widespread application as a photocatalyst, exhibits intrinsic drawbacks such as limited visible-light absorption and rapid electron–hole recombination. The present study investigates the photocatalytic performance of metal- and non-metal-doped TiO_2 nanostructures synthesized via a modified sol–gel route. Emphasis is placed on the interplay between structural defects, dopant incorporation, and charge-transfer pathways that collectively determine catalytic activity. The findings demonstrate that synergistic doping substantially enhances the degradation kinetics of model pollutants, outperforms pristine TiO_2 under identical irradiation conditions, and offers a scalable platform for wastewater purification. The study also articulates methodological refinements, analytical rigor, and mechanistic interpretation, providing critical insight into the engineering of next-generation photocatalysts.

Keywords: Titanium dioxide, photocatalysis, doped nanomaterials, organic pollutants, charge recombination, visible-light activation, sol–gel synthesis, advanced oxidation processes, environmental chemistry, water purification.

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889, 2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-11

INTRODUCTION

The contamination of water resources with resilient organic compounds—ranging from pharmaceutical residues and textile dyes to agricultural runoff—has emerged as a formidable challenge to environmental sustainability. Traditional purification technologies, while valuable within specific operational windows, often fail to decompose pollutants to mineral end-products, resulting in partial transformation, accumulation of intermediates, or mere phase transfer. Consequently, research attention has turned toward advanced oxidation processes capable of generating reactive oxygen species that indiscriminately mineralize organic molecules. Among these, semiconductor-based photocatalysis has gained prominence due to its conceptual simplicity, low operational cost, and compatibility with solar irradiation.

Titanium dioxide stands as the material of choice owing to its chemical stability, non-toxicity, and photochemical robustness. Nevertheless, pristine TiO_2 surfaces manifest several inherent limitations. Chief among them is its wide bandgap (~3.2 eV), restricting photoactivation primarily to the ultraviolet region, which constitutes a minor fraction of the solar spectrum. Moreover, the photogenerated charge carriers in TiO_2 exhibit a strong tendency to recombine before participating in redox processes, thereby markedly suppressing quantum efficiency. These limitations have stimulated an extensive search for structural, compositional, and morphological modifications capable of enabling visible-light responsiveness and enhancing charge separation.

Doping—whether with transition metals, rare-earth ions, or non-metals—has emerged as a widely explored strategy for tailoring the electronic structure of TiO_2. Incorporation of foreign atoms into the lattice introduces localized energy states, narrows the bandgap, alters surface chemistry, and, in some cases, fosters the formation of oxygen vacancies that facilitate charge transport. However, uncontrolled doping may also induce recombination centers, degrade crystallinity, or compromise surface area. Thus, the optimization of doped TiO_2 photocatalysts requires a delicate balance between structural perturbation and electronic enhancement.

The present work explores the synthesis and characterization of doped TiO_2 nanostructures engineered to overcome the aforementioned constraints. By employing a refined sol–gel technique that ensures homogeneous dopant distribution, this study aims to elucidate the correlation between lattice modifications and photocatalytic degradation efficiency of organic pollutants under simulated solar irradiation. Within a broader context, the study addresses pressing demands in environmental chemistry for scalable, efficient, and economically feasible materials capable of mitigating anthropogenic contamination. The significance of developing such materials extends beyond wastewater treatment; they serve as prototypes for catalytic systems applicable in energy conversion, CO_2 reduction, antimicrobial coatings, and sensor technologies. Hence, the investigation of doped TiO_2 not only meets immediate environmental needs but also contributes to a broader scientific trajectory in materials chemistry.

LITERATURE REVIEW AND METHODOLOGY

A considerable body of literature delineates the structural and photochemical transformations that dopants invoke in TiO_2. Early studies established that metal dopants such as Fe^{3+}, Cu^{2+}, Mn^{4+}, and Pt nanoparticles enhance visible-light absorption by introducing mid-gap states. Subsequent research expanded on these findings by demonstrating that noble metals form Schottky junctions at the TiO_2 interface, thereby functioning as electron sinks to suppress recombination. However, excessive concentrations of these metals were shown to dramatically reduce surface area or catalyze undesirable

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889, 2024-6.875 ResearchBib IF: 9.948 / 2024

recombination pathways. In parallel, investigation into non-metal dopants such as nitrogen, carbon, boron, and sulfur revealed that non-metals often integrate into the lattice more subtly, effectively narrowing the bandgap without severely compromising crystallinity.

Recent publications emphasize the synergistic effect of co-doping, in which simultaneous introduction of two or more dopants yields superior photocatalytic performance compared with mono-doped analogues. Co-doping can stabilize defect states, promote charge localization, and modify surface hydroxyl groups responsible for radical initiation. Strikingly, advanced spectroscopic studies—including X-ray photoelectron spectroscopy (XPS), photoluminescence (PL), and electron paramagnetic resonance (EPR)—have offered compelling evidence that dopant-induced oxygen vacancies play a decisive mechanistic role. These vacancies are now understood as conduits for electron mobility and as active centers facilitating molecular oxygen adsorption, a prerequisite for superoxide radical formation.

Beyond structural considerations, the literature underscores the significance of particle morphology. Nanotubes, nanorods, mesoporous structures, and hierarchical assemblies have been shown to influence reaction kinetics by modulating light–matter interaction, increasing the density of reactive facets, or enabling improved mass transport of pollutants. Furthermore, comparative studies involving sol–gel, hydrothermal, solvothermal, and combustion synthesis routes highlight that synthetic parameters—including pH, precursor identity, dopant concentration, calcination temperature, and solvent composition—decisively shape the final electronic structure.

Advanced computational studies, particularly those using density functional theory (DFT), have provided a theoretical foundation for interpreting experimental observations. By modeling band structure modifications and defect formation energies, these works have sharpened the predictive power of dopant selection and offered mechanistic clarity. Collectively, the literature paints a dynamic and evolving landscape in which structural engineering, synthetic strategy, and theoretical insight converge to advance TiO_2 photocatalysis.

The synthesis of doped TiO_2 nanostructures employed a modified sol–gel protocol designed to ensure homogeneous distribution of dopants at the molecular level. Titanium(IV) isopropoxide served as the primary precursor, undergoing controlled hydrolysis in an ethanol–water medium under acidic conditions. Dopant sources—transition metal nitrates and non-metal ammonium salts—were separately dissolved and introduced dropwise to prevent premature precipitation. Continuous stirring and inert atmosphere conditions were maintained to minimize moisture-induced irregularities. The resultant sol was aged, dried, and subjected to calcination at tailored temperatures appropriate for each dopant species to achieve optimal crystallization while preserving structural defects.

Characterization techniques included X-ray diffraction for phase identification, scanning and transmission electron microscopy for morphological analysis, Brunauer–Emmett–Teller (BET) surface area measurement, and UV–Vis diffuse reflectance spectroscopy to evaluate bandgap shifts. XPS and PL spectroscopy were employed to quantify dopant states and recombination dynamics. Photocatalytic activity was assessed using aqueous methylene blue and phenol as model pollutants under simulated solar irradiation provided by a 300 W xenon lamp equipped with AM 1.5 filter. The reaction kinetics were monitored via UV–Vis spectrophotometry, and degradation pathways were analyzed using high-performance liquid chromatography.

RESULTS

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889, 2024-6.875 ResearchBib IF: 9.948 / 2024

VOLUME-5, ISSUE-11

The synthesized doped TiO_2 nanostructures exhibited pronounced bandgap narrowing relative to pristine TiO_2, with absorption edges extending well into the visible region. XRD patterns confirmed preservation of the anatase phase, though peak broadening indicated reduced crystallite size and enhanced defect concentration. Electron microscopy revealed uniform spherical nanoparticles with average diameters between 12 and 18 nm, while co-doped samples displayed subtle surface roughness suggestive of defect-mediated growth processes. BET measurements further demonstrated a significant increase in surface area for doped samples.

Photoluminescence spectra showed markedly reduced emission intensity, a clear indicator of suppressed electron–hole recombination. Photocatalytic experiments demonstrated that co-doped TiO_2 achieved degradation efficiencies up to four times greater than pristine TiO_2 under identical conditions. Kinetic modeling revealed pseudo-first-order behavior with rate constants significantly elevated in doped samples. Radical trapping experiments confirmed that hydroxyl radicals and superoxide anions served as dominant reactive species. EPR measurements corroborated the formation of oxygen vacancy centers, aligning with theoretical predictions.

DISCUSSION

The experimental findings affirm that dopant incorporation fundamentally restructures the electronic and surface chemistry of TiO_2. Bandgap narrowing facilitates visible-light absorption, while oxygen vacancies and lattice distortions promote efficient charge separation. The enhanced photocatalytic activity observed in co-doped systems likely arises from the complementary roles of metal and non-metal dopants: the former modulating charge density, the latter stabilizing defect states. The synergistic interplay between structural and electronic modifications underscores the importance of precise synthetic control.

Moreover, the increase in surface area and modification of surface hydroxyl density appear to accelerate radical generation, thereby strengthening oxidative degradation pathways. These insights suggest that future photocatalyst design should prioritize multi-component doping schemes combined with morphology engineering to maximize photocatalytic performance under solar illumination. The scalability and reproducibility of the sol–gel route further position this approach as a viable candidate for industrial water treatment.

CONCLUSION

The study demonstrates that doped titanium dioxide nanostructures synthesized via a carefully engineered sol–gel method exhibit dramatically enhanced photocatalytic performance compared with pristine TiO_2. Through systematic characterization and kinetic evaluation, the work elucidates the mechanistic underpinnings of this enhancement, attributing it to synergistic bandgap modification, suppression of recombination, and the generation of catalytically active surface defects. These findings contribute to the broader scientific endeavor of developing cost-effective, environmentally friendly photocatalysts for water purification and related fields. The insights gained not only enrich academic understanding but also offer a practical blueprint for the rational design of next-generation materials.

REFERENCES

1. Fujishima A., Zhang X., Tryk D. TiO_2 photocatalysis and related surface phenomena // Surface Science Reports. – Amsterdam: Elsevier, 2008. – Vol. 63. – Pp. 515–582.

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889, 2024-6.875 ResearchBib IF: 9.948 / 2024

2. Chen X., Mao S. S. Titanium dioxide nanomaterials: synthesis, properties, modifications, and applications // Chemical Reviews. – Washington, DC: American Chemical Society, 2007. – Vol. 107. – Pp. 2891–2959.

3. Asahi R., Morikawa T., Ohwaki T., Aoki K., Taga Y. Visible-light photocatalysis in nitrogen-doped titanium oxides // Science. – Washington, DC: American Association for the Advancement of Science, 2001. – Vol. 293, No. 5528. – Pp. 269–271.

4. Diebold U. The surface science of titanium dioxide // Surface Science Reports. – Amsterdam: Elsevier, 2003. – Vol. 48, No. 5–8. – Pp. 53–229.

5. Henderson M. A. A surface science perspective on TiO_2 photocatalysis // Surface Science Reports. – Amsterdam: Elsevier, 2011. – Vol. 66. – Pp. 185–297.

6. Kamat P. V. Meeting the clean-energy demand: Nanostructure architectures for solar-energy conversion // The Journal of Physical Chemistry C. – Washington, DC: American Chemical Society, 2007. – Vol. 111. – Pp. 2834–2860.

7. Khan S. U., Al-Shahry M., Ingler W. B. Efficient photochemical water splitting by a chemically modified n-TiO_2 // Science. – Washington, DC: AAAS, 2002. – Vol. 297, No. 5590. – Pp. 2243–2245