ISSN: 2582-4686 SJIF 2021-3.261, 2022-2.889, 2023-5.384, 2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-12

PSEUDOBULBAR DYSARTHRIA: CAUSES, CLINICAL MANIFESTATIONS, AND CORRECTIONAL APPROACHES

Andijan State Pedagogical Institute, Faculty of Preschool Education
Student of Special Pedagogy: Speech Therapy, Group 301
Iminjonova Mokhichehra Alimardon qizi
iminjonovamoxichexra@gmail.com

ABSTRACT: This article provides a scientific overview of the concept of pseudobulbar dysarthria, the neurological factors causing its occurrence, clinical signs, and functional disorders affecting the speech apparatus. It also analyzes the criteria used in speech therapy diagnostics, stages of correctional work, development of speech breathing, articulation exercises, and practical methods aimed at forming the phonetic-phonemic system. The article emphasizes the importance of differential diagnostics and developing individualized speech therapy programs to increase the effectiveness of correctional approaches.

KEYWORDS: pseudobulbar dysarthria, central paralysis, speech apparatus, clinical manifestations, hypertonicity, speech therapy correction, articulation, phonemic hearing, speech breathing, rehabilitation, neurological disorders.

Pseudobulbar dysarthria is a severe speech disorder resulting from bilateral damage to the upper motor neurons of the central nervous system, specifically the corticobulbar pathways. Its clinical features prominently include speech spasticity, tension in the muscles of the articulatory apparatus, impaired emotional stability, and the emergence of pathological reflexes. This article provides a systematic analysis of the etiology, pathogenesis, clinical manifestations, diagnostic procedures, and speech therapy correction processes for pseudobulbar dysarthria.

Pseudobulbar dysarthria is associated with damage to the central (upper) motor neurons, primarily caused by bilateral damage to the corticobulbar tracts. These pathways transmit impulses from the cerebral cortex to the cranial nerve nuclei at the level of the medulla oblongata. Consequently, their damage disrupts the central control of speech while the lower motor neurons remain intact.

Unlike bulbar dysarthria, this condition manifests not through muscle atrophy or paralysis, but through spasticity, tension, and pseudoparalytic states of the muscles.

Pseudobulbar dysarthria can develop as a result of the following pathologies:

1. Cerebrovascular diseases
2. Strokes in both hemispheres
3. Chronic cerebrovascular insufficiency
4. Cerebral atherosclerosis
5. Traumatic injuries
6. Extensive brain injuries
7. Multifocal contusions
8. Perinatal hypoxia
9. Hemorrhagic strokes

ISSN: 2582-4686 SJIF 2021-3.261, 2022-2.889, 2023-5.384, 2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-5, ISSUE-12

The mechanism of development of pseudobulbar dysarthria is associated with the inactivation of upper motor neurons in the central nervous system. As a result of bilateral damage to corticobulbar tracts:

- muscle tone increases (spasticity),
- movements are performed abruptly and with effort,
- speech movements are sluggish, coordination is impaired,
- pathological reflexes appear.

These conditions disrupt the continuity of the articulation process, the fluency of speech, and natural phonation.

Pseudobulbar dysarthria manifests itself based on the following main clinical signs:

1. Changes in speech
2. Speech is spastic, abrupt, with a "harsh" timbre.
3. Prosody is impaired: monotony, lack of intonation.
4. Speech is slow and effortful.
5. Articulatory movements are limited.

Signs of the articulation apparatus in pseudobulbar dysarthria speech impairment:

1. Tension in the lips, tongue, and soft palate muscles.
2. There is no atrophy (distinction from bulbar form).
3. Movements are slow, coordination is decreased.
4. Swallowing disorder

Speech therapy plays an important role in alleviating pseudobulbar dysarthria. Corrective work is carried out in the following areas:

1. Normalization of muscle tone
2. Relaxing articulation exercises
3. Passive and active massage
4. Exercises that relax the muscles of the tongue and lips
5. Breathing exercises
6. Phonation exercises
7. Articulation exercises
8. Development of prosodic skills

Pseudobulbar dysarthria requires complex treatment. The following specialists participate in the team approach: neurologist, speech therapist, rehabilitation specialist, psychologist, physiotherapist.

Pseudobulbar dysarthria is a severe speech disorder resulting from damage to the central nervous system, which comprehensively disrupts speech, articulatory, and emotional functions. With early diagnosis and speech therapy intervention, it is possible to reduce muscle tension, improve phonation and articulation, and develop prosodic elements. The rehabilitation process, carried out through interdisciplinary collaboration, significantly improves the patient's quality of life.

List of references

1. **Decree of the President of the Republic of Uzbekistan.** On the Development Strategy of New Uzbekistan for 2022-2026. - Tashkent, January 28, 2022, No. PF-60. // National Database of Legislation, January 29, 2022, No. 06/22/60/0082.
2. **Muminova L.R., Ayupova M.Yu.** Speech Therapy: Textbook for Higher Educational Institutions. - Tashkent: Ukituvchi, 2013. - pp. 248-256.

ISSN: 2582-4686 SJIF 2021-3.261, 2022-2.889, 2023-5.384, 2024-6.875 ResearchBib IF: 9.948 / 2024

3. **Shomakhmudova R.S.** Special and Inclusive Education Methodology. Tashkent: Noshir, 2021. - 312 p.

4. **Arkhipova E.F.** Correctional and speech therapy work to overcome mild dysarthria in children. - Moscow: Astrel, 2008. - pp. 45-60.

5. **Vizel T.G.** Fundamentals of Neuropsychology: textbook for university students. Moscow: V.Sekachev, 2021. - 264 p.

6. **Bernthal J.E., Bankson N.W., Flipsen P.** Articulation and Phonological Disorders: Speech Sound Disorders in Children. Boston: Pearson, 2017. - P. 112-145.

7. **Law J., Plunkett C.C., Stringer H.** Communication interventions for children with severe speech sound disorders: A systematic review // International Journal of Language & Communication Disorders. 2022. Volume 57. Issue 3. - P. 560-580.

8. **Qodirova F.U.** Pedagogical Foundations of Family Cooperation in the Development of Speech in Preschool Children // Modern Education Journal. - Tashkent, 2020. - No.4. - P. 25-30.

9. **SGF Journal.** Official website of the international scientific journal "Society, Gender and Family in Central Asia" // www.sgfjournal.uz (Accessed: 20.05.2024).

10. **Lex.uz.** National Database of Legislation of the Republic of Uzbekistan // https://lex.uz/docs/4850317

11. Zhurakhuzhaev, M. Kh. (2022). ORGANIZATION OF THE EDUCATIONAL PROCESS FOR CHILDREN WITH DISABILITIES IN INDIVIDUAL EDUCATION AT HOME. *PEDAGOGS journal*, *1* (1), 295-298.

12. Jurahojaev, M. K. O. (2022). MECHANISMS TO INCREASE THE EFFICIENCY OF INDIVIDUAL HOME EDUCATION FOR CHILDREN WITH DISABILITIES. *Mental Enlightenment Scientific-Methodological Journal*, *2022* (3), 171-180.

13. Zhurakhuzhaev, M. Kh. Mechanisms for Increasing the Effectiveness of Individual Education of Children with Disabilities at Home: Dissertation for Doctor of Philosophy (PhD) in Pedagogical Sciences. *Jizzakh-2023.-36 pages*.

14. Jurakhodzhaev, M. Kh. (2022). Portrait of a Home-Based Individual Education Teacher / Proceedings of the III International Conference "21st Century Skills in Language Teaching and Learning."