ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-6, ISSUE-2

SKIN TUMORS

Mustaqil izlanuvchi: Jumayev Saidbek Ikromjon o‘g‘li[1]

Ilmiy rahbar: Saidov Shoxrullo Sharofullaevich[2]

Toshkent Tibbiyot Universiteti Termiz Filiali

Annotation. This study addresses skin tumors, which are currently among the most common oncological diseases worldwide. The main types of skin tumors, including melanoma, basal cell carcinoma, and squamous cell carcinoma, are discussed with regard to their etiology, pathogenesis, clinical manifestations, as well as modern diagnostic and treatment methods. In addition, the role of ultraviolet radiation in the development of skin cancers, major risk factors, and the importance of early detection are analyzed. The results of the study indicate that the consequences of skin cancer can be reduced by strengthening early diagnosis and preventive measures.

Keywords. Melanoma, non-melanoma skin cancer, ultraviolet radiation, chemical carcinogens, organ transplantation, immunosuppression, prevention, World Health Organization, GLOBOCAN

INTRODUCTION

Skin cancers represent a serious threat to human health and are among the most frequently diagnosed oncological diseases worldwide. According to data from the World Health Organization (WHO), more than 1.5 million new cases of skin cancer were recorded globally in 2022, including approximately 330,000 new cases of melanoma and more than 60,000 deaths. The incidence of melanoma is generally higher in men than in women, with significant variations observed across different countries and regions [1].

Approximately 58,667 deaths were attributed specifically to melanoma. At the same time, 1,234,533 new cases of non-melanoma skin cancer and nearly 69,416 related deaths were identified. The incidence of these diseases varies considerably by geographical region: it is relatively high in Oceania, North America, and Europe, while remaining lower in Africa and Asia [2].

Studies indicate that the main factors contributing to the development of skin cancer include the following:

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-6, ISSUE-2

✓ Ultraviolet radiation

Prolonged exposure to ultraviolet radiation from sunlight or artificial sources such as sunbeds leads to DNA damage, which triggers the development of melanoma and non-melanoma skin cancers. Sunburn caused by ultraviolet radiation further increases the risk of the disease [3].

Ultraviolet A radiation and ultraviolet B radiation affect skin cells through different mechanisms. Ultraviolet A radiation penetrates deeper into the skin layers and enhances oxidative stress, leading to the formation of free radicals that indirectly damage DNA, proteins, and cell membranes. In addition, ultraviolet A radiation suppresses local immune defense mechanisms of the skin, reducing the ability of the immune system to eliminate genetically damaged cells. Ultraviolet B radiation primarily affects the superficial layers of the skin and causes direct structural damage to cellular DNA, leading to the formation of cyclobutane pyrimidine dimers. This disrupts the cell cycle and promotes the accumulation of mutations, increasing the risk of basal cell carcinoma and squamous cell carcinoma. Prolonged and repeated exposure to both types of ultraviolet radiation results in the accumulation of genetic alterations in skin cells, significantly increasing the risk of melanoma, basal cell carcinoma, and squamous cell carcinoma. In particular, prolonged unprotected sun exposure and the use of artificial ultraviolet sources are major risk factors for skin cancer [4].

✓ Natural skin characteristics

Individuals with fair skin, red or blond hair, and blue or green eyes have reduced protection against ultraviolet radiation, which increases the risk of developing skin cancer [5].

✓ Immunosuppression

Patients who have undergone organ transplantation or individuals receiving immunosuppressive therapy have a higher risk of developing skin cancer. When immune function is weakened, the control of tumor cells is reduced. The immune system plays a crucial role in protecting the body from infections, inflammatory processes, and genetically altered cells, including tumor cells. Through immune surveillance mechanisms, potentially dangerous cells are recognized and eliminated. However, when immune function is impaired, this control mechanism is disrupted, significantly increasing the risk of skin cancer development [6].

Immunosuppression is commonly observed after organ transplantation. Transplant recipients require long-term immunosuppressive medications such as cyclosporine, tacrolimus, and azathioprine to prevent graft rejection. These drugs

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875 ResearchBib IF: 9.948 / 2024

suppress immune activity by reducing the antitumor response of T lymphocytes and other immune cells. As a result, DNA-damaged and mutated skin cells are not adequately controlled, leading to the development of skin cancers, particularly squamous cell carcinoma and basal cell carcinoma. Studies have shown that skin cancers, especially squamous cell carcinoma, occur up to 65 times more frequently in organ transplant recipients, while basal cell carcinoma occurs approximately 10 times more often [7].

✓ Chemical substances and radiation

Long-term exposure to arsenic, petroleum products, or ionizing radiation may contribute to the development of non-melanoma skin cancer. International health organizations and oncological studies indicate that chronic exposure to certain chemical substances induces genetic alterations in skin cells, leading to malignant transformation. This is primarily associated with occupational exposure in industrial, agricultural, and chemical production settings. Arsenic is one of the most strongly associated chemical carcinogens. Prolonged exposure to arsenic through drinking water, pesticides, metallurgy, or wood processing significantly increases the risk of basal cell carcinoma and squamous cell carcinoma. Research shows that arsenic disrupts DNA replication and impairs cell cycle control mechanisms in skin cells [8].

➢ Clinical manifestations and symptoms

Skin cancer may be painful and present as throbbing, oozing, or persistent discomfort that does not heal. Even minor trauma may cause bleeding. Lesions often have raised borders with central ulceration. Clinical signs of skin cancer may include:

- A new skin lesion or a change in the size, shape, or color of an existing lesion
- An itchy or uncomfortable area
- A non-healing sore that bleeds or forms a crust
- A shiny, red, or skin-colored growth
- A rough or scaly red patch
- A growth with a crusted or bleeding center and raised edges
- A scar-like lesion without clearly defined borders [9]

➢ Modern diagnostic methods

Dermoscopy is a non-invasive diagnostic method used to magnify and evaluate the internal structure of suspicious skin lesions. It allows assessment of pigment distribution, vascular patterns, and other microscopic features, significantly improving diagnostic accuracy in distinguishing melanoma from non-melanoma skin cancers.

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875 ResearchBib IF: 9.948 / 2024

VOLUME-6, ISSUE-2

Biopsy involves obtaining a tissue sample from a suspicious lesion for histopathological examination. Biopsy techniques include:

- Punch biopsy: removal of a cylindrical sample from the central part of the lesion
- Excisional biopsy: complete removal of the suspicious lesion
- Incisional biopsy: removal of a portion of the lesion

Histopathological analysis enables evaluation of cellular morphology and identification of cancer type, which is essential for differentiating melanoma from non-melanoma skin cancers. Laboratory and genetic testing may be recommended in certain cases. For example, detection of BRAF gene mutations is particularly important in melanoma, as it helps determine appropriate treatment strategies [10].

➢ Treatment methods

The choice of treatment for skin cancer depends on the tumor type, size, location, patient age, and overall health status. The primary goals of treatment are complete tumor removal, prevention of metastasis, and preservation of quality of life.

1.Surgical treatment is the main and most widely used method for skin cancer management. Suspicious lesions are excised along with surrounding margins. Surgery is often sufficient for basal cell carcinoma, squamous cell carcinoma, and small melanomas. In melanoma cases, sentinel lymph node biopsy may be performed if necessary [11].

2.Radiotherapy involves the use of high-energy radiation to destroy tumor cells and is commonly used when surgery is not feasible or as adjuvant therapy after surgery. It is also applied in cases involving lymph node involvement or deep-seated tumors.
3.Chemotherapy is used in advanced melanoma cases. Modern cytotoxic agents, such as dacarbazine, target rapidly dividing cells.

4.Targeted therapy acts on specific genetic mutations and signaling pathways within cancer cells. In melanoma patients with BRAF gene mutations, drugs such as dabrafenib and vemurafenib are used, offering high efficacy with minimal damage to healthy cells [12].

5.Immunotherapy enhances the patient's immune response against tumor cells. Agents such as ipilimumab, nivolumab, and pembrolizumab are used in melanoma treatment and have been shown to prolong survival in advanced stages.

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875 ResearchBib IF: 9.948 / 2024

Cryotherapy and laser therapy are applied for small, superficial non-melanoma skin cancers. These minimally invasive methods provide rapid recovery and favorable cosmetic outcomes [13].

- Prevention

Prevention of skin cancer, particularly melanoma and non-melanoma skin cancers, is essential and includes the following measures:

1.Protection from ultraviolet radiation — Ultraviolet A and ultraviolet B radiation damage deoxyribonucleic acid (DNA) in skin cells and contribute to carcinogenesis. Preventive measures include: Using sunscreens with a sun protection factor of 30 or higher. Avoiding direct sun exposure during peak hours (10:00–16:00)

Wearing protective clothing, hats, and sunglasses [14]

2.Regular skin examinations — Self-examination and routine dermatological check-ups facilitate early detection of suspicious lesions. Monthly skin examinations are recommended, as early-stage skin cancers may be asymptomatic [15].

3.Healthy lifestyle — Balanced nutrition, physical activity, and smoking cessation strengthen immune function and reduce cancer risk. Vitamins beneficial for skin health, such as vitamins A, C, and E, along with antioxidants, help protect DNA from damage [16].

4.Avoidance of hazardous chemicals and toxins — Certain substances, including arsenic, benzene, and polycyclic aromatic hydrocarbons, increase the risk of skin cancer. The use of protective equipment and limiting direct contact with toxic substances in industrial and laboratory environments are crucial [17].

Skin cancers, including melanoma and non-melanoma types, pose a significant threat to human health. Research indicates that ultraviolet radiation, chemical toxins, genetic predisposition, immunosuppression, organ transplantation, and other risk factors play a crucial role in skin cancer development.

Early diagnostic methods such as dermoscopy, biopsy, and genetic testing significantly improve patient prognosis. Modern treatment approaches, including surgery, radiotherapy, chemotherapy, targeted therapy, and immunotherapy, have proven effective in melanoma and non-melanoma skin cancers, substantially increasing five-year survival rates.

Preventive strategies—protection from ultraviolet radiation, regular skin examinations, healthy lifestyle practices, and limitation of toxic exposures—

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889, 2024-6.875 ResearchBib IF: 9.948 / 2024

THE MULTIDISCIPLINARY JOURNAL OF SCIENCE AND TECHNOLOGY

VOLUME-6, ISSUE-2

significantly reduce the risk of skin cancer. Additionally, patients undergoing immunosuppressive therapy should remain under regular dermatological supervision.

As a result, early detection, modern treatment, and effective prevention strategies improve quality of life and represent an effective approach in the fight against skin cancer.

List of used literature:

1. **World Health Organization – Skin cancer (IARC/WHO): https://www.iarc.who.int/cancer-type/skin-cancer/**
2. **International Agency for Research on Cancer. GLOBOCAN 2022: Estimated melanoma and non-melanoma skin cancer incidence and mortality worldwide. Available from: https://gco.iarc.who.int/**
3. **Arnold M, de Vries E, Whiteman DC, et al. Global patterns of skin cancer incidence and mortality. PubMed Central. Available from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC11745855/**
4. **CDC – Skin Cancer Risk Factors. https://www.cdc.gov/skin-cancer/risk-factors/index.html**
5. **National Cancer Institute – Skin Cancer Prevention & Risks. https://www.cancer.gov/types/skin/patient/skin-prevention-pdq**
6. **Organ Transplant and Skin Cancer Risk. UCSF Health. Available from: https://www.ucsfhealth.org/education/organ-transplant-and-skin-cancer-risk**
7. **World Health Organization. Ultraviolet radiation. Available from: https://www.who.int/news-room/fact-sheets/detail/ultraviolet-radiation**
8. **American Cancer Society. UV Radiation and Cancer Risk. Available from: https://www.cancer.org/cancer/risk-prevention/sun-and-uv/uv-radiation.html**
9. **Mayo Clinic - Nonmelanoma Skin Cancer – Causes Available from: https://www.mayoclinic.org/diseases-conditions/nonmelanoma-skin-cancer/symptoms-causes/syc-20355397**
10. **PubMed. Global patterns of skin cancer incidence and mortality. Available from: https://pubmed.ncbi.nlm.nih.gov/32714859/**
11. **https://medsurgeindia.com/uz/spotting-skin-cancer-know-the-warning-signs/**
12. **Elder, D.E., Elenitsas, R., Johnson, B.L., Murphy, G.F. Lever's Histopathology of the Skin, 12th Edition, 2020.**
13. **Bolognia, J.L., Schaffer, J.V., Cerroni, L. Dermatology, 4th Edition, 2018.**

ISSN: 2582-4686 SJIF 2021-3.261,SJIF 2022-2.889,
2024-6.875 ResearchBib IF: 9.948 / 2024

14. LeBoit, P.E., Burg, G., Weedon, D., Sarasin, A. WHO Classification of Tumours: Pathology and Genetics of Skin Tumours, 2006.
15. Barnhill, R.L. Atlas of Dermatopathology, 2002.
16. Fitzpatrick, T.B. et al. Fitzpatrick's Dermatology in General Medicine, 9th Edition, 2019.
17. Goldman, L., Schafer, A.I. Goldman-Cecil Medicine, 25th Edition, 2016.